

# PASS / LOAD STAND "FLAT" AND FENCE PANELS INDEX



Assembly

10/10/08

PAGE	DATE	NAAMS CODE	DESCRIPTION
<a href="#">W-1</a>	10/10/08		Pass / Load Stand "Flat" and Fence Panel Index
<a href="#">W-1.1</a>	10/10/08		Pass / Load Stand "Flat" and Fence Panel Index
<a href="#">W-2</a>	10/23/06		Single Leg Pass / Load Stand "Flat" Assembly
<a href="#">W-3</a>	10/16/07	APT1001 - APT1010	Single Leg Pass / Load Stand "Flat"
<a href="#">W-4</a>	10/23/06		Two Leg Pass / Load Stand 2" Tubing "Flat" Assembly
<a href="#">W-5</a>	10/16/07	APT2001 - APT2409	Two Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-6</a>	10/10/08	APT2001 - APT2409	Two Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-7</a>	02/08/07		Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-8</a>	10/16/07	APT4001 - APT4856	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-9</a>	10/16/07	APT4001 - APT4132	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-10</a>	10/16/07	APT4201 - APT4240	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-10.1</a>	10/16/07	APT4301 - APT4348	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-11</a>	10/16/07	APT4401 - APT4456	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-11.1</a>	10/16/07	APT4501 - APT4556	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-12</a>	10/16/07	APT4601 - APT4656	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-12.1</a>	10/16/07	APT4701 - APT4756	Four Leg Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-13</a>	10/16/07	APT4801 - APT4856	"U" Style Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-14</a>	10/16/07	APT3001 - APT3856	"U" Style Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-15</a>	10/16/07	APT3001 - APT3132	"U" Style Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-15.1</a>	10/16/07	APT3201 - APT3240	"U" Style Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-16</a>	10/16/07	APT3301 - APT3348	"U" Style Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-16.1</a>	10/16/07	APT3401 - APT3456	"U" Style Pass / Load Stand 2" Tubing "Flat"

# PASS / LOAD STAND "FLAT" INDEX

PAGE	DATE	NAAMS CODE	DESCRIPTION
<a href="#">W-17</a>	10/16/07	APT3501 - APT3556	"U" Style Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-17.1</a>	10/16/07	APT3601 - APT3656	"U" Style Pass / Load Stand 2" Tubing "Flat"
<a href="#">W-18</a>	10/10/08	APT3701 - APT3756	"U" Style Pass / Load Stand 2" Tubing "Flat" Assembly
<a href="#">W-18.1</a>	10/16/07	APT3801 - APT3856	"U" Style Pass / Load Stand 2" Tubing "Flat" Assembly
<a href="#">W-19</a>	10/08/07		Fence Panel for Two Leg Pass / Load Stand
<a href="#">W-20</a>	10/16/07	ATS2001 - ATS2053	Fence Panel for Two Leg Pass / Load Stand - Style C
<a href="#">W-21</a>	10/08/07	ATS2001 - ATS2053	Fence Panel for Two Leg Pass / Load Stand - Style C
<a href="#">W-22</a>	10/16/07	ATS2101 - ATS2153	Fence Panel for Two Leg Pass / Load Stand - Style F
<a href="#">W-23</a>	10/08/07	ATS2101 - ATS2153	Fence Panel for Two Leg Style Pass / Load Stand Style F
<a href="#">W-24</a>	10/08/07		Fence Panel for Four Leg and U-Style Pass / Load Stand
<a href="#">W-25</a>	10/08/07	ATS4001 - ATS4088	Fence Panel for Four Leg and U-Style Pass / Load Stand Style C
<a href="#">W-26</a>	10/08/07	ATS4001 - ATS4088	Fence Panel for Four Leg and U-Style Pass / Load Stand Style C
<a href="#">W-27</a>	10/08/07	ATS4101 - ATS4188	Fence Panel for Four Leg and U-Style Pass / Load Stand Style F
<a href="#">W-28</a>	10/08/07	ATS4101 - ATS4188	Fence Panel for Four Leg and U-Style Pass / Load Stand Style F

# SINGLE LEG PASS / LOAD STAND "FLAT" ASSEMBLY™


GLOBAL STANDARD COMPONENTS

# NAAMS





Assembly

10/23/06



# SINGLE LEG PASS / LOAD STAND "FLAT"

A



TOLERANCES  
 1 PLACE FABRICATION  $\pm 1.5\text{mm}$   
 2 PLACE  $\pm .13\text{mm}$  BETWEEN HOLES

**INCH STOCK**

- a 1 - STL PLT ASTM A-36 3/4 X 300MM X 300MM
- b 1 - STL TBG ASTM A-500 GRADE B 6 X 6 X 1/4 W/T X "B"MM
- c 1 - STL PLT ASTM A-36 1 X 300MM X 300MM

**METRIC STOCK**

- a 1 - STL PLT ASTM A-36 20 X 300MM X 300MM
- b 1 - STL TBG ASTM A-500 GRADE B 160 X 160 X 6 W/T X "B"MM
- c 1 - STL PLT ASTM A-36 25 X 300MM X 300MM

\* LOADS AND OFFSETS WERE DETERMINED AT A STAND HEIGHT OF 1200MM

STRESS RELIEVE

NAAMS CODE	A	B
APT1001	300	256
APT1002	400	356
APT1003	500	456
APT1004	600	556
APT1005	700	656
APT1006	800	756
APT1007	900	856
APT1008	1000	956
APT1009	1100	1056
APT1010	1200	1156

B

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART



# TWO LEG PASS / LOAD STAND 2" TUBING "FLAT"™ ASSEMBLY


GLOBAL STANDARD COMPONENTS

# NAAMS



Assembly

10/23/06



# TWO LEG PASS / LOAD STAND 2" TUBING "FLAT"™



GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A



THIS STANDARD IS FOR THE FRAME ONLY.  
THE "PLATE" OR "PLATES" WILL BE THE DETAIL  
AND THE FRAME WILL BE A SUB DETAIL IN THE STOCK LIST.

**INCH STOCK**

- a 1 - STL TBG ASTM A-500 GRADE B
- b 1 - STL TBG ASTM A-500 GRADE B
- c 1 - STL TBG ASTM A-500 GRADE B
- d 1 - STL ANG ASTM A-36

- 2 X 2 X 3/16 W/T X LENGTH
- 2 X 2 X 3/16 W/T X A
- 2 X 2 X 3/16 W/T X B
- 4 X 4 X 1/2 W/T X 450MM

**METRIC STOCK**

- a 1 - STL TBG ASTM A-500 GRADE B
- b 1 - STL TBG ASTM A-500 GRADE B
- c 1 - STL TBG ASTM A-500 GRADE B
- d 1 - STL ANG ASTM A-36

- 50 X 50 X 4 W/T X LENGTH
- 50 X 50 X 4 W/T X A
- 50 X 50 X 4 W/T X B
- 100 X 100 X 12 W/T X 450MM

WELDED END CAPS TO SUIT

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART

\* ANCHOR ANGLE LOCATION TO BE DETERMINED FROM  
SYSTEMS LAYOUT, FOR OPERATOR LOAD CLEARANCE.  
POSITION SHOWN IS REFERENCE ONLY.

TOLERANCE  
1 PLACE FABRICATION ±1.5MM

B

# TWO LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/10/08

NAAMS CODE	HEIGHT	LENGTH	A	B	SAFETY SCREEN	
					STYLE C	STYLE F
APT2001	800	600	749	100	ATS2001	ATS2101
APT2002	800	750	749	250	ATS2002	ATS2102
APT2003	800	900	749	400	ATS2003	ATS2103
APT2004	800	1050	749	550	ATS2004	ATS2104
APT2005	800	1200	749	700	ATS2005	ATS2105
APT2006	800	1350	749	850	ATS2006	ATS2106
APT2007	800	1500	749	1000	ATS2007	ATS2107
APT2008	800	1650	749	1150	ATS2008	ATS2108
APT2009	800	1800	749	1300	ATS2009	ATS2109
APT2101	900	600	849	100	ATS2012	ATS2112
APT2102	900	750	849	250	ATS2013	ATS2113
APT2103	900	900	849	400	ATS2014	ATS2114
APT2104	900	1050	849	550	ATS2015	ATS2115
APT2105	900	1200	849	700	ATS2016	ATS2116
APT2106	900	1350	849	850	ATS2017	ATS2117
APT2107	900	1500	849	1000	ATS2018	ATS2118
APT2108	900	1650	849	1150	ATS2019	ATS2119
APT2109	900	1800	849	1300	ATS2020	ATS2120
APT2201	1000	600	949	100	ATS2023	ATS2123
APT2202	1000	750	949	250	ATS2024	ATS2124
APT2203	1000	900	949	400	ATS2025	ATS2125
APT2204	1000	1050	949	550	ATS2026	ATS2126
APT2205	1000	1200	949	700	ATS2027	ATS2127
APT2206	1000	1350	949	850	ATS2028	ATS2128
APT2207	1000	1500	949	1000	ATS2029	ATS2129
APT2208	1000	1650	949	1150	ATS2030	ATS2130
APT2209	1000	1800	949	1300	ATS2031	ATS2131
APT2301	1100	600	1049	100	ATS2034	ATS2134
APT2302	1100	750	1049	250	ATS2035	ATS2135
APT2303	1100	900	1049	400	ATS2036	ATS2136
APT2304	1100	1050	1049	550	ATS2037	ATS2137
APT2305	1100	1200	1049	700	ATS2038	ATS2138
APT2306	1100	1350	1049	850	ATS2039	ATS2139
APT2307	1100	1500	1049	1000	ATS2040	ATS2140
APT2308	1100	1650	1049	1150	ATS2041	ATS2141
APT2309	1100	1800	1049	1300	ATS2042	ATS2142
APT2401	1200	600	1149	100	ATS2045	ATS2145
APT2402	1200	750	1149	250	ATS2046	ATS2146
APT2403	1200	900	1149	400	ATS2047	ATS2147
APT2404	1200	1050	1149	550	ATS2048	ATS2148
APT2405	1200	1200	1149	700	ATS2049	ATS2149
APT2406	1200	1350	1149	850	ATS2050	ATS2150
APT2407	1200	1500	1149	1000	ATS2051	ATS2151
APT2408	1200	1650	1149	1150	ATS2052	ATS2152
APT2409	1200	1800	1149	1300	ATS2053	ATS2153

A

B

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"<sup>TM</sup> ASSEMBLY

GLOBAL STANDARD COMPONENTS


# NAAMS



Assembly

02/08/07

A



# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™


GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A



THIS STANDARD IS FOR THE FRAME ONLY.  
THE "PLATE" OR "PLATES" WILL BE THE DETAIL  
AND THE FRAME WILL BE A SUB DETAIL IN THE STOCK LIST.

**INCH STOCK**

a	2 - STL TBG	ASTM A-500 GRADE B	2 X 2 X 3/16 W/T X LENGTH
b	4 - STL TBG	ASTM A-500 GRADE B	2 X 2 X 3/16 W/T X A
c	2 - STL TBG	ASTM A-500 GRADE B	2 X 2 X 3/16 W/T X B
d	4 - NAAMS ANCHOR ANGLE		ABL443*
e	5 - STL TBG	ASTM A-500 GRADE B	2 X 2 X 3/16 W/T X C

**METRIC STOCK**

a	2 - STL TBG	ASTM A-500 GRADE B	50 X 50 X 4 W/T X LENGTH
b	4 - STL TBG	ASTM A-500 GRADE B	50 X 50 X 4 W/T X A
c	2 - STL TBG	ASTM A-500 GRADE B	50 X 50 X 4 W/T X B
d	4 - NAAMS ANCHOR ANGLE		ABL443*
e	5 - STL TBG	ASTM A-500 GRADE B	50 X 50 X 4 W/T X C

WELDED END CAPS TO SUIT

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART

\* NAAMS STD ANCHOR ANGLES ABL443  
LOCATION TO BE DETERMINED FROM  
SYSTEM LAYOUT. FOR OPERATOR  
LOAD CLEARANCE  
POSITION SHOWN IS REFERENCE ONLY.

TOLERANCES  
1 PLACE FABRICATION ±1.5MM

B

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4001	800	600	300	749	498	198	275	ATS4003	ATS4001	ATS4103	ATS4101
APT4002	800	600	450	749	498	348	275	ATS4003	ATS4002	ATS4103	ATS4102
APT4003	800	600	600	749	498	498	275	ATS4003	ATS4003	ATS4103	ATS4103
APT4004	900	600	300	849	498	198	275	ATS4014	ATS4012	ATS4114	ATS4112
APT4005	900	600	450	849	498	348	275	ATS4014	ATS4013	ATS4114	ATS4113
APT4006	900	600	600	849	498	498	275	ATS4014	ATS4014	ATS4114	ATS4114
APT4007	1000	600	300	949	498	198	275	ATS4025	ATS4023	ATS4125	ATS4123
APT4008	1000	600	450	949	498	348	275	ATS4025	ATS4024	ATS4125	ATS4124
APT4009	1000	600	600	949	498	498	275	ATS4025	ATS4025	ATS4125	ATS4125
APT4010	1100	600	300	1049	498	198	275	ATS4036	ATS4034	ATS4136	ATS4134
APT4011	1100	600	450	1049	498	348	275	ATS4036	ATS4035	ATS4136	ATS4135
APT4012	1100	600	600	1049	498	498	275	ATS4036	ATS4036	ATS4136	ATS4136
APT4013	1200	600	300	1149	498	198	275	ATS4047	ATS4045	ATS4147	ATS4145
APT4014	1200	600	450	1149	498	348	275	ATS4047	ATS4046	ATS4147	ATS4146
APT4015	1200	600	600	1149	498	498	275	ATS4047	ATS4047	ATS4147	ATS4147
APT4016	1300	600	300	1249	498	198	275	ATS4058	ATS4756	ATS4158	ATS4156
APT4017	1300	600	450	1249	498	348	275	ATS4058	ATS4057	ATS4158	ATS4157
APT4018	1300	600	600	1249	498	498	275	ATS4058	ATS4058	ATS4158	ATS4158
APT4019	1400	600	300	1349	498	198	275	ATS4069	ATS4067	ATS4169	ATS4167
APT4020	1400	600	450	1349	498	348	275	ATS4069	ATS4068	ATS4169	ATS4168
APT4021	1400	600	600	1349	498	498	275	ATS4069	ATS4069	ATS4169	ATS4169
APT4022	1500	600	300	1449	498	198	275	ATS4080	ATS4078	ATS4180	ATS4178
APT4023	1500	600	450	1449	498	348	275	ATS4080	ATS4079	ATS4180	ATS4179
APT4024	1500	600	600	1449	498	498	275	ATS4080	ATS4080	ATS4180	ATS4180
APT4101	800	750	300	749	648	198	350	ATS4004	ATS4001	ATS4104	ATS4101
APT4102	800	750	450	749	648	348	350	ATS4004	ATS4002	ATS4104	ATS4102
APT4103	800	750	600	749	648	498	350	ATS4004	ATS4003	ATS4104	ATS4103
APT4104	800	750	750	749	648	648	350	ATS4004	ATS4004	ATS4104	ATS4104
APT4105	900	750	300	849	648	198	350	ATS4015	ATS4012	ATS4115	ATS4112
APT4106	900	750	450	849	648	348	350	ATS4015	ATS4013	ATS4115	ATS4113
APT4107	900	750	600	849	648	498	350	ATS4015	ATS4014	ATS4115	ATS4114
APT4108	900	750	750	849	648	648	350	ATS4015	ATS4015	ATS4115	ATS4115
APT4109	1000	750	300	949	648	198	350	ATS4026	ATS4023	ATS4126	ATS4123
APT4110	1000	750	450	949	648	348	350	ATS4026	ATS4024	ATS4126	ATS4124
APT4111	1000	750	600	949	648	498	350	ATS4026	ATS4025	ATS4126	ATS4125
APT4112	1000	750	750	949	648	648	350	ATS4026	ATS4026	ATS4126	ATS4126
APT4113	1100	750	300	1049	648	198	350	ATS4037	ATS4034	ATS4137	ATS4134
APT4114	1100	750	450	1049	648	348	350	ATS4037	ATS4035	ATS4137	ATS4135
APT4115	1100	750	600	1049	648	498	350	ATS4037	ATS4036	ATS4137	ATS4136
APT4116	1100	750	750	1049	648	648	350	ATS4037	ATS4037	ATS4137	ATS4137
APT4117	1200	750	300	1149	648	198	350	ATS4048	ATS4045	ATS4148	ATS4145
APT4118	1200	750	450	1149	648	348	350	ATS4048	ATS4046	ATS4148	ATS4146
APT4119	1200	750	600	1149	648	498	350	ATS4048	ATS4047	ATS4148	ATS4147
APT4120	1200	750	750	1149	648	648	350	ATS4048	ATS4048	ATS4148	ATS4148
APT4121	1300	750	300	1249	648	198	350	ATS4059	ATS4056	ATS4159	ATS4156
APT4122	1300	750	450	1249	648	348	350	ATS4059	ATS4057	ATS4159	ATS4157
APT4123	1300	750	600	1249	648	498	350	ATS4059	ATS4058	ATS4159	ATS4158
APT4124	1300	750	750	1249	648	648	350	ATS4059	ATS4059	ATS4159	ATS4159
APT4125	1400	750	300	1349	648	198	350	ATS4070	ATS4067	ATS4170	ATS4167
APT4126	1400	750	450	1349	648	348	350	ATS4070	ATS4068	ATS4170	ATS4168
APT4127	1400	750	600	1349	648	498	350	ATS4070	ATS4069	ATS4170	ATS4169
APT4128	1400	750	750	1349	648	648	350	ATS4070	ATS4070	ATS4170	ATS4170
APT4129	1500	750	300	1449	648	198	350	ATS4081	ATS4078	ATS4181	ATS4178
APT4130	1500	750	450	1449	648	348	350	ATS4081	ATS4079	ATS4181	ATS4179
APT4131	1500	750	600	1449	648	498	350	ATS4081	ATS4080	ATS4181	ATS4180
APT4132	1500	750	750	1449	648	648	350	ATS4081	ATS4081	ATS4181	ATS4181

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4201	800	900	300	749	798	198	425	ATS4005	ATS4001	ATS4105	ATS4101
APT4202	800	900	450	749	798	348	425	ATS4005	ATS4002	ATS4105	ATS4102
APT4203	800	900	600	749	798	498	425	ATS4005	ATS4003	ATS4105	ATS4103
APT4204	800	900	750	749	798	648	425	ATS4005	ATS4004	ATS4105	ATS4104
APT4205	800	900	900	749	798	798	425	ATS4005	ATS4005	ATS4105	ATS4105
APT4206	900	900	300	849	798	198	425	ATS4016	ATS4012	ATS4116	ATS4112
APT4207	900	900	450	849	798	348	425	ATS4016	ATS4013	ATS4116	ATS4113
APT4208	900	900	600	849	798	498	425	ATS4016	ATS4014	ATS4116	ATS4114
APT4209	900	900	750	849	798	648	425	ATS4016	ATS4015	ATS4116	ATS4115
APT4210	900	900	900	849	798	798	425	ATS4016	ATS4016	ATS4116	ATS4116
APT4211	1000	900	300	949	798	198	425	ATS4027	ATS4023	ATS4127	ATS4123
APT4212	1000	900	450	949	798	348	425	ATS4027	ATS4024	ATS4127	ATS4124
APT4213	1000	900	600	949	798	498	425	ATS4027	ATS4025	ATS4127	ATS4125
APT4214	1000	900	750	949	798	648	425	ATS4027	ATS4026	ATS4127	ATS4126
APT4215	1000	900	900	949	798	798	425	ATS4027	ATS4027	ATS4127	ATS4127
APT4216	1100	900	300	1049	798	198	425	ATS4038	ATS4034	ATS4138	ATS4134
APT4217	1100	900	450	1049	798	348	425	ATS4038	ATS4035	ATS4138	ATS4135
APT4218	1100	900	600	1049	798	498	425	ATS4038	ATS4036	ATS4138	ATS4136
APT4219	1100	900	750	1049	798	648	425	ATS4038	ATS4037	ATS4138	ATS4137
APT4220	1100	900	900	1049	798	798	425	ATS4038	ATS4038	ATS4138	ATS4138
APT4221	1200	900	300	1149	798	198	425	ATS4049	ATS4045	ATS4149	ATS4145
APT4222	1200	900	450	1149	798	348	425	ATS4049	ATS4046	ATS4149	ATS4146
APT4223	1200	900	600	1149	798	498	425	ATS4049	ATS4047	ATS4149	ATS4147
APT4224	1200	900	750	1149	798	648	425	ATS4049	ATS4048	ATS4149	ATS4148
APT4225	1200	900	900	1149	798	798	425	ATS4049	ATS4049	ATS4149	ATS4149
APT4226	1300	900	300	1249	798	198	425	ATS4060	ATS4056	ATS4160	ATS4156
APT4227	1300	900	450	1249	798	348	425	ATS4060	ATS4057	ATS4160	ATS4157
APT4228	1300	900	600	1249	798	498	425	ATS4060	ATS4058	ATS4160	ATS4158
APT4229	1300	900	750	1249	798	648	425	ATS4060	ATS4059	ATS4160	ATS4159
APT4230	1300	900	900	1249	798	798	425	ATS4060	ATS4060	ATS4160	ATS4160
APT4231	1400	900	300	1349	798	198	425	ATS4071	ATS4067	ATS4160	ATS4167
APT4232	1400	900	450	1349	798	348	425	ATS4071	ATS4068	ATS4171	ATS4168
APT4233	1400	900	600	1349	798	498	425	ATS4071	ATS4069	ATS4171	ATS4169
APT4234	1400	900	750	1349	798	648	425	ATS4071	ATS4070	ATS4171	ATS4170
APT4235	1400	900	900	1349	798	798	425	ATS4071	ATS4071	ATS4171	ATS4171
APT4236	1500	900	300	1449	798	198	425	ATS4082	ATS4078	ATS4182	ATS4178
APT4237	1500	900	450	1449	798	348	425	ATS4082	ATS4079	ATS4182	ATS4179
APT4238	1500	900	600	1449	798	498	425	ATS4082	ATS4080	ATS4182	ATS4180
APT4239	1500	900	750	1449	798	648	425	ATS4082	ATS4081	ATS4182	ATS4181
APT4240	1500	900	900	1449	798	798	425	ATS4082	ATS4082	ATS4182	ATS4182

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4301	800	1050	300	749	948	198	500	ATS4006	ATS4001	ATS4106	ATS4101
APT4302	800	1050	450	749	948	348	500	ATS4006	ATS4002	ATS4106	ATS4102
APT4303	800	1050	600	749	948	498	500	ATS4006	ATS4003	ATS4106	ATS4103
APT4304	800	1050	750	749	948	648	500	ATS4006	ATS4004	ATS4106	ATS4104
APT4305	800	1050	900	749	948	798	500	ATS4006	ATS4005	ATS4106	ATS4105
APT4306	800	1050	1050	749	948	948	500	ATS4006	ATS4006	ATS4106	ATS4106
APT4307	900	1050	300	849	948	198	500	ATS4017	ATS4012	ATS4117	ATS4112
APT4308	900	1050	450	849	948	348	500	ATS4017	ATS4013	ATS4117	ATS4113
APT4309	900	1050	600	849	948	498	500	ATS4017	ATS4014	ATS4117	ATS4114
APT4310	900	1050	750	849	948	648	500	ATS4017	ATS4015	ATS4117	ATS4115
APT4311	900	1050	900	849	948	798	500	ATS4017	ATS4016	ATS4117	ATS4116
APT4312	900	1050	1050	849	948	948	500	ATS4017	ATS4017	ATS4117	ATS4117
APT4313	1000	1050	300	949	948	198	500	ATS4028	ATS4023	ATS4128	ATS4123
APT4314	1000	1050	450	949	948	348	500	ATS4028	ATS4024	ATS4128	ATS4124
APT4315	1000	1050	600	949	948	498	500	ATS4028	ATS4025	ATS4128	ATS4125
APT4316	1000	1050	750	949	948	648	500	ATS4028	ATS4026	ATS4128	ATS4126
APT4317	1000	1050	900	949	948	798	500	ATS4028	ATS4027	ATS4128	ATS4127
APT4318	1000	1050	1050	949	948	948	500	ATS4028	ATS4028	ATS4128	ATS4128
APT4319	1100	1050	300	1049	948	198	500	ATS4039	ATS4034	ATS4139	ATS4134
APT4320	1100	1050	450	1049	948	348	500	ATS4039	ATS4035	ATS4139	ATS4135
APT4321	1100	1050	600	1049	948	498	500	ATS4039	ATS4036	ATS4139	ATS4136
APT4322	1100	1050	750	1049	948	648	500	ATS4039	ATS4037	ATS4139	ATS4137
APT4323	1100	1050	900	1049	948	798	500	ATS4039	ATS4038	ATS4139	ATS4138
APT4324	1100	1050	1050	1049	948	948	500	ATS4039	ATS4039	ATS4139	ATS4139
APT4325	1200	1050	300	1149	948	198	500	ATS4050	ATS4045	ATS4150	ATS4145
APT4326	1200	1050	450	1149	948	348	500	ATS4050	ATS4046	ATS4150	ATS4146
APT4327	1200	1050	600	1149	948	498	500	ATS4050	ATS4047	ATS4150	ATS4147
APT4328	1200	1050	750	1149	948	648	500	ATS4050	ATS4048	ATS4150	ATS4148
APT4329	1200	1050	900	1149	948	798	500	ATS4050	ATS4049	ATS4150	ATS4149
APT4330	1200	1050	1050	1149	948	948	500	ATS4050	ATS4050	ATS4150	ATS4150
APT4331	1300	1050	300	1249	948	198	500	ATS4061	ATS4056	ATS4161	ATS4156
APT4332	1300	1050	450	1249	948	348	500	ATS4061	ATS4057	ATS4161	ATS4157
APT4333	1300	1050	600	1249	948	498	500	ATS4061	ATS4058	ATS4161	ATS4158
APT4334	1300	1050	750	1249	948	648	500	ATS4061	ATS4059	ATS4161	ATS4159
APT4335	1300	1050	900	1249	948	798	500	ATS4061	ATS4060	ATS4161	ATS4160
APT4336	1300	1050	1050	1249	948	948	500	ATS4061	ATS4061	ATS4161	ATS4161
APT4337	1400	1050	300	1349	948	198	500	ATS4072	ATS4067	ATS4172	ATS4167
APT4338	1400	1050	450	1349	948	348	500	ATS4072	ATS4068	ATS4172	ATS4168
APT4339	1400	1050	600	1349	948	498	500	ATS4072	ATS4069	ATS4172	ATS4169
APT4340	1400	1050	750	1349	948	648	500	ATS4072	ATS4070	ATS4172	ATS4170
APT4341	1400	1050	900	1349	948	798	500	ATS4072	ATS4071	ATS4172	ATS4171
APT4342	1400	1050	1050	1349	948	948	500	ATS4072	ATS4072	ATS4172	ATS4172
APT4343	1500	1050	300	1449	948	198	500	ATS4083	ATS4078	ATS4183	ATS4178
APT4344	1500	1050	450	1449	948	348	500	ATS4083	ATS4079	ATS4183	ATS4179
APT4345	1500	1050	600	1449	948	498	500	ATS4083	ATS4080	ATS4183	ATS4180
APT4346	1500	1050	750	1449	948	648	500	ATS4083	ATS4081	ATS4183	ATS4181
APT4347	1500	1050	900	1449	948	798	500	ATS4083	ATS4082	ATS4183	ATS4182
APT4348	1500	1050	1050	1449	948	948	500	ATS4083	ATS4083	ATS4183	ATS4183



# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS

# NAAMS



Assembly

10/16/07

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4401	800	1200	300	749	1098	198	575	ATS4007	ATS4001	ATS4107	ATS4101
APT4402	800	1200	450	749	1098	348	575	ATS4007	ATS4002	ATS4107	ATS4102
APT4403	800	1200	600	749	1098	498	575	ATS4007	ATS4003	ATS4107	ATS4103
APT4404	800	1200	750	749	1098	648	575	ATS4007	ATS4004	ATS4107	ATS4104
APT4405	800	1200	900	749	1098	798	575	ATS4007	ATS4005	ATS4107	ATS4105
APT4406	800	1200	1050	749	1098	948	575	ATS4007	ATS4006	ATS4107	ATS4106
APT4407	800	1200	1200	749	1098	1098	575	ATS4007	ATS4007	ATS4107	ATS4107
APT4408	900	1200	300	849	1098	198	575	ATS4018	ATS4012	ATS4118	ATS4112
APT4409	900	1200	450	849	1098	348	575	ATS4018	ATS4013	ATS4118	ATS4113
APT4410	900	1200	600	849	1098	498	575	ATS4018	ATS4014	ATS4118	ATS4114
APT4411	900	1200	750	849	1098	648	575	ATS4018	ATS4015	ATS4118	ATS4115
APT4412	900	1200	900	849	1098	798	575	ATS4018	ATS4016	ATS4118	ATS4116
APT4413	900	1200	1050	849	1098	948	575	ATS4018	ATS4017	ATS4118	ATS4117
APT4414	900	1200	1200	849	1098	1098	575	ATS4018	ATS4018	ATS4118	ATS4118
APT4415	1000	1200	300	949	1098	198	575	ATS4029	ATS4023	ATS4129	ATS4123
APT4416	1000	1200	450	949	1098	348	575	ATS4029	ATS4024	ATS4129	ATS4124
APT4417	1000	1200	600	949	1098	498	575	ATS4029	ATS4025	ATS4129	ATS4125
APT4418	1000	1200	750	949	1098	648	575	ATS4029	ATS4026	ATS4129	ATS4126
APT4419	1000	1200	900	949	1098	798	575	ATS4029	ATS4027	ATS4129	ATS4127
APT4420	1000	1200	1050	949	1098	948	575	ATS4029	ATS4028	ATS4129	ATS4128
APT4421	1000	1200	1200	949	1098	1098	575	ATS4029	ATS4029	ATS4129	ATS4129
APT4422	1100	1200	300	1049	1098	198	575	ATS4040	ATS4034	ATS4140	ATS4134
APT4423	1100	1200	450	1049	1098	348	575	ATS4040	ATS4035	ATS4140	ATS4135
APT4424	1100	1200	600	1049	1098	498	575	ATS4040	ATS4036	ATS4140	ATS4136
APT4425	1100	1200	750	1049	1098	648	575	ATS4040	ATS4037	ATS4140	ATS4137
APT4426	1100	1200	900	1049	1098	798	575	ATS4040	ATS4038	ATS4140	ATS4138
APT4427	1100	1200	1050	1049	1098	948	575	ATS4040	ATS4039	ATS4140	ATS4139
APT4428	1100	1200	1200	1049	1098	1098	575	ATS4040	ATS4040	ATS4140	ATS4140
APT4429	1200	1200	300	1149	1098	198	575	ATS4051	ATS4045	ATS4151	ATS4145
APT4430	1200	1200	450	1149	1098	348	575	ATS4051	ATS4046	ATS4151	ATS4146
APT4431	1200	1200	600	1149	1098	498	575	ATS4051	ATS4047	ATS4151	ATS4147
APT4432	1200	1200	750	1149	1098	648	575	ATS4051	ATS4048	ATS4151	ATS4148
APT4433	1200	1200	900	1149	1098	798	575	ATS4051	ATS4049	ATS4151	ATS4149
APT4434	1200	1200	1050	1149	1098	948	575	ATS4051	ATS4050	ATS4151	ATS4150
APT4435	1200	1200	1200	1149	1098	1098	575	ATS4051	ATS4051	ATS4151	ATS4151
APT4436	1300	1200	300	1249	1098	198	575	ATS4062	ATS4056	ATS4162	ATS4156
APT4437	1300	1200	450	1249	1098	348	575	ATS4062	ATS4057	ATS4162	ATS4157
APT4438	1300	1200	600	1249	1098	498	575	ATS4062	ATS4058	ATS4162	ATS4158
APT4439	1300	1200	750	1249	1098	648	575	ATS4062	ATS4059	ATS4162	ATS4159
APT4440	1300	1200	900	1249	1098	798	575	ATS4062	ATS4060	ATS4162	ATS4160
APT4441	1300	1200	1050	1249	1098	948	575	ATS4062	ATS4061	ATS4162	ATS4161
APT4442	1300	1200	1200	1249	1098	1098	575	ATS4062	ATS4062	ATS4162	ATS4162
APT4443	1400	1200	300	1349	1098	198	575	ATS4073	ATS4067	ATS4173	ATS4167
APT4444	1400	1200	450	1349	1098	348	575	ATS4073	ATS4068	ATS4173	ATS4168
APT4445	1400	1200	600	1349	1098	498	575	ATS4073	ATS4069	ATS4173	ATS4169
APT4446	1400	1200	750	1349	1098	648	575	ATS4073	ATS4070	ATS4173	ATS4170
APT4447	1400	1200	900	1349	1098	798	575	ATS4073	ATS4071	ATS4173	ATS4171
APT4448	1400	1200	1050	1349	1098	948	575	ATS4073	ATS4072	ATS4173	ATS4172
APT4449	1400	1200	1200	1349	1098	1098	575	ATS4073	ATS4073	ATS4173	ATS4173
APT4450	1500	1200	300	1449	1098	198	575	ATS4084	ATS4078	ATS4184	ATS4178
APT4451	1500	1200	450	1449	1098	348	575	ATS4084	ATS4079	ATS4184	ATS4179
APT4452	1500	1200	600	1449	1098	498	575	ATS4084	ATS4080	ATS4184	ATS4180
APT4453	1500	1200	750	1449	1098	648	575	ATS4084	ATS4081	ATS4184	ATS4181
APT4454	1500	1200	900	1449	1098	798	575	ATS4084	ATS4082	ATS4184	ATS4182
APT4455	1500	1200	1050	1449	1098	948	575	ATS4084	ATS4083	ATS4184	ATS4183
APT4456	1500	1200	1200	1449	1098	1098	575	ATS4084	ATS4084	ATS4184	ATS4184

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4501	800	1350	300	749	1248	198	650	ATS4008	ATS4001	ATS4108	ATS4101
APT4502	800	1350	450	749	1248	348	650	ATS4008	ATS4002	ATS4108	ATS4102
APT4503	800	1350	600	749	1248	498	650	ATS4008	ATS4003	ATS4108	ATS4103
APT4504	800	1350	750	749	1248	648	650	ATS4008	ATS4004	ATS4108	ATS4104
APT4505	800	1350	900	749	1248	798	650	ATS4008	ATS4005	ATS4108	ATS4105
APT4506	800	1350	1050	749	1248	948	650	ATS4008	ATS4006	ATS4108	ATS4106
APT4507	800	1350	1200	749	1248	1098	650	ATS4008	ATS4007	ATS4108	ATS4107
APT4508	900	1350	300	849	1248	198	650	ATS4019	ATS4012	ATS4119	ATS4112
APT4509	900	1350	450	849	1248	348	650	ATS4019	ATS4013	ATS4119	ATS4113
APT4510	900	1350	600	849	1248	498	650	ATS4019	ATS4014	ATS4119	ATS4114
APT4511	900	1350	750	849	1248	648	650	ATS4019	ATS4015	ATS4119	ATS4115
APT4512	900	1350	900	849	1248	798	650	ATS4019	ATS4016	ATS4119	ATS4116
APT4513	900	1350	1050	849	1248	948	650	ATS4019	ATS4017	ATS4119	ATS4117
APT4514	900	1350	1200	849	1248	1098	650	ATS4019	ATS4018	ATS4119	ATS4118
APT4515	1000	1350	300	949	1248	198	650	ATS4030	ATS4023	ATS4130	ATS4123
APT4516	1000	1350	450	949	1248	348	650	ATS4030	ATS4024	ATS4130	ATS4124
APT4517	1000	1350	600	949	1248	498	650	ATS4030	ATS4025	ATS4130	ATS4125
APT4518	1000	1350	750	949	1248	648	650	ATS4030	ATS4026	ATS4130	ATS4126
APT4519	1000	1350	900	949	1248	798	650	ATS4030	ATS4027	ATS4130	ATS4127
APT4520	1000	1350	1050	949	1248	948	650	ATS4030	ATS4028	ATS4130	ATS4128
APT4521	1000	1350	1200	949	1248	1098	650	ATS4030	ATS4029	ATS4130	ATS4129
APT4522	1100	1350	300	1049	1248	198	650	ATS4041	ATS4034	ATS4141	ATS4134
APT4523	1100	1350	450	1049	1248	348	650	ATS4041	ATS4035	ATS4141	ATS4135
APT4524	1100	1350	600	1049	1248	498	650	ATS4041	ATS4036	ATS4141	ATS4136
APT4525	1100	1350	750	1049	1248	648	650	ATS4041	ATS4037	ATS4141	ATS4137
APT4526	1100	1350	900	1049	1248	798	650	ATS4041	ATS4038	ATS4141	ATS4138
APT4527	1100	1350	1050	1049	1248	948	650	ATS4041	ATS4039	ATS4141	ATS4139
APT4528	1100	1350	1200	1049	1248	1098	650	ATS4041	ATS4040	ATS4141	ATS4140
APT4529	1200	1350	300	1149	1248	198	650	ATS4052	ATS4045	ATS4152	ATS4145
APT4530	1200	1350	450	1149	1248	348	650	ATS4052	ATS4046	ATS4152	ATS4146
APT4531	1200	1350	600	1149	1248	498	650	ATS4052	ATS4047	ATS4152	ATS4147
APT4532	1200	1350	750	1149	1248	648	650	ATS4052	ATS4048	ATS4152	ATS4148
APT4533	1200	1350	900	1149	1248	798	650	ATS4052	ATS4049	ATS4152	ATS4149
APT4534	1200	1350	1050	1149	1248	948	650	ATS4052	ATS4050	ATS4152	ATS4150
APT4535	1200	1350	1200	1149	1248	1098	650	ATS4052	ATS4051	ATS4152	ATS4151
APT4536	1300	1350	300	1249	1248	198	650	ATS4063	ATS4056	ATS4163	ATS4156
APT4537	1300	1350	450	1249	1248	348	650	ATS4063	ATS4057	ATS4163	ATS4157
APT4538	1300	1350	600	1249	1248	498	650	ATS4063	ATS4058	ATS4163	ATS4158
APT4539	1300	1350	750	1249	1248	648	650	ATS4063	ATS4059	ATS4163	ATS4159
APT4540	1300	1350	900	1249	1248	798	650	ATS4063	ATS4060	ATS4163	ATS4160
APT4541	1300	1350	1050	1249	1248	948	650	ATS4063	ATS4061	ATS4163	ATS4161
APT4542	1300	1350	1200	1249	1248	1098	650	ATS4063	ATS4062	ATS4163	ATS4162
APT4543	1400	1350	300	1349	1248	198	650	ATS4074	ATS4067	ATS4174	ATS4167
APT4544	1400	1350	450	1349	1248	348	650	ATS4074	ATS4068	ATS4174	ATS4168
APT4545	1400	1350	600	1349	1248	498	650	ATS4074	ATS4069	ATS4174	ATS4169
APT4546	1400	1350	750	1349	1248	648	650	ATS4074	ATS4070	ATS4174	ATS4170
APT4547	1400	1350	900	1349	1248	798	650	ATS4074	ATS4071	ATS4174	ATS4171
APT4548	1400	1350	1050	1349	1248	948	650	ATS4074	ATS4072	ATS4174	ATS4172
APT4549	1400	1350	1200	1349	1248	1098	650	ATS4074	ATS4073	ATS4174	ATS4173
APT4550	1500	1350	300	1449	1248	198	650	ATS4085	ATS4078	ATS4185	ATS4178
APT4551	1500	1350	450	1449	1248	348	650	ATS4085	ATS4079	ATS4185	ATS4179
APT4552	1500	1350	600	1449	1248	498	650	ATS4085	ATS4080	ATS4185	ATS4180
APT4553	1500	1350	750	1449	1248	648	650	ATS4085	ATS4081	ATS4185	ATS4181
APT4554	1500	1350	900	1449	1248	798	650	ATS4085	ATS4082	ATS4185	ATS4182
APT4555	1500	1350	1050	1449	1248	948	650	ATS4085	ATS4083	ATS4185	ATS4183
APT4556	1500	1350	1200	1449	1248	1098	650	ATS4085	ATS4084	ATS4185	ATS4184

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A  
B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4601	800	1500	300	749	1398	198	725	ATS4009	ATS4001	ATS4109	ATS4101
APT4602	800	1500	450	749	1398	348	725	ATS4009	ATS4002	ATS4109	ATS4102
APT4603	800	1500	600	749	1398	498	725	ATS4009	ATS4003	ATS4109	ATS4103
APT4604	800	1500	750	749	1398	648	725	ATS4009	ATS4004	ATS4109	ATS4104
APT4605	800	1500	900	749	1398	798	725	ATS4009	ATS4005	ATS4109	ATS4105
APT4606	800	1500	1050	749	1398	948	725	ATS4009	ATS4006	ATS4109	ATS4106
APT4607	800	1500	1200	749	1398	1098	725	ATS4009	ATS4007	ATS4109	ATS4107
APT4608	900	1500	300	849	1398	198	725	ATS4020	ATS4012	ATS4120	ATS4112
APT4609	900	1500	450	849	1398	348	725	ATS4020	ATS4013	ATS4120	ATS4113
APT4610	900	1500	600	849	1398	498	725	ATS4020	ATS4014	ATS4120	ATS4114
APT4611	900	1500	750	849	1398	648	725	ATS4020	ATS4015	ATS4120	ATS4115
APT4612	900	1500	900	849	1398	798	725	ATS4020	ATS4016	ATS4120	ATS4116
APT4613	900	1500	1050	849	1398	948	725	ATS4020	ATS4017	ATS4120	ATS4117
APT4614	900	1500	1200	849	1398	1098	725	ATS4020	ATS4018	ATS4120	ATS4118
APT4615	1000	1500	300	949	1398	198	725	ATS4031	ATS4023	ATS4131	ATS4123
APT4616	1000	1500	450	949	1398	348	725	ATS4031	ATS4024	ATS4131	ATS4124
APT4617	1000	1500	600	949	1398	498	725	ATS4031	ATS4025	ATS4131	ATS4125
APT4618	1000	1500	750	949	1398	648	725	ATS4031	ATS4026	ATS4131	ATS4126
APT4619	1000	1500	900	949	1398	798	725	ATS4031	ATS4027	ATS4131	ATS4127
APT4620	1000	1500	1050	949	1398	948	725	ATS4031	ATS4028	ATS4131	ATS4128
APT4621	1000	1500	1200	949	1398	1098	725	ATS4031	ATS4029	ATS4131	ATS4129
APT4622	1100	1500	300	1049	1398	198	725	ATS4042	ATS4034	ATS4142	ATS4134
APT4623	1100	1500	450	1049	1398	348	725	ATS4042	ATS4035	ATS4142	ATS4135
APT4624	1100	1500	600	1049	1398	498	725	ATS4042	ATS4036	ATS4142	ATS4136
APT4625	1100	1500	750	1049	1398	648	725	ATS4042	ATS4037	ATS4142	ATS4137
APT4626	1100	1500	900	1049	1398	798	725	ATS4042	ATS4038	ATS4142	ATS4138
APT4627	1100	1500	1050	1049	1398	948	725	ATS4042	ATS4039	ATS4142	ATS4139
APT4628	1100	1500	1200	1049	1398	1098	725	ATS4042	ATS4040	ATS4142	ATS4140
APT4629	1200	1500	300	1149	1398	198	725	ATS4053	ATS4045	ATS4153	ATS4145
APT4630	1200	1500	450	1149	1398	348	725	ATS4053	ATS4046	ATS4153	ATS4146
APT4631	1200	1500	600	1149	1398	498	725	ATS4053	ATS4047	ATS4153	ATS4147
APT4632	1200	1500	750	1149	1398	648	725	ATS4053	ATS4048	ATS4153	ATS4148
APT4633	1200	1500	900	1149	1398	798	725	ATS4053	ATS4049	ATS4153	ATS4149
APT4634	1200	1500	1050	1149	1398	948	725	ATS4053	ATS4050	ATS4153	ATS4150
APT4635	1200	1500	1200	1149	1398	1098	725	ATS4053	ATS4051	ATS4153	ATS4151
APT4636	1300	1500	300	1249	1398	198	725	ATS4064	ATS4056	ATS4164	ATS4156
APT4637	1300	1500	450	1249	1398	348	725	ATS4064	ATS4057	ATS4164	ATS4157
APT4638	1300	1500	600	1249	1398	498	725	ATS4064	ATS4058	ATS4164	ATS4158
APT4639	1300	1500	750	1249	1398	648	725	ATS4064	ATS4059	ATS4164	ATS4159
APT4640	1300	1500	900	1249	1398	798	725	ATS4064	ATS4060	ATS4164	ATS4160
APT4641	1300	1500	1050	1249	1398	948	725	ATS4064	ATS4061	ATS4164	ATS4161
APT4642	1300	1500	1200	1249	1398	1098	725	ATS4064	ATS4062	ATS4164	ATS4162
APT4643	1400	1500	300	1349	1398	198	725	ATS4075	ATS4067	ATS4175	ATS4167
APT4644	1400	1500	450	1349	1398	348	725	ATS4075	ATS4068	ATS4175	ATS4168
APT4645	1400	1500	600	1349	1398	498	725	ATS4075	ATS4069	ATS4175	ATS4169
APT4646	1400	1500	750	1349	1398	648	725	ATS4075	ATS4070	ATS4175	ATS4170
APT4647	1400	1500	900	1349	1398	798	725	ATS4075	ATS4071	ATS4175	ATS4171
APT4648	1400	1500	1050	1349	1398	948	725	ATS4075	ATS4072	ATS4175	ATS4172
APT4649	1400	1500	1200	1349	1398	1098	725	ATS4075	ATS4073	ATS4175	ATS4173
APT4650	1500	1500	300	1449	1398	198	725	ATS4086	ATS4078	ATS4186	ATS4178
APT4651	1500	1500	450	1449	1398	348	725	ATS4086	ATS4079	ATS4186	ATS4179
APT4652	1500	1500	600	1449	1398	498	725	ATS4086	ATS4080	ATS4186	ATS4180
APT4653	1500	1500	750	1449	1398	648	725	ATS4086	ATS4081	ATS4186	ATS4181
APT4654	1500	1500	900	1449	1398	798	725	ATS4086	ATS4082	ATS4186	ATS4182
APT4655	1500	1500	1050	1449	1398	948	725	ATS4086	ATS4083	ATS4186	ATS4183
APT4656	1500	1500	1200	1449	1398	1098	725	ATS4086	ATS4084	ATS4186	ATS4184

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4701	800	1650	300	749	1548	198	800	ATS4010	ATS4001	ATS4110	ATS4101
APT4702	800	1650	450	749	1548	348	800	ATS4010	ATS4002	ATS4110	ATS4102
APT4703	800	1650	600	749	1548	498	800	ATS4010	ATS4003	ATS4110	ATS4103
APT4704	800	1650	750	749	1548	648	800	ATS4010	ATS4004	ATS4110	ATS4104
APT4705	800	1650	900	749	1548	798	800	ATS4010	ATS4005	ATS4110	ATS4105
APT4706	800	1650	1050	749	1548	948	800	ATS4010	ATS4006	ATS4110	ATS4106
APT4707	800	1650	1200	749	1548	1098	800	ATS4010	ATS4007	ATS4110	ATS4107
APT4708	900	1650	300	849	1548	198	800	ATS4021	ATS4012	ATS4121	ATS4112
APT4709	900	1650	450	849	1548	348	800	ATS4021	ATS4013	ATS4121	ATS4113
APT4710	900	1650	600	849	1548	498	800	ATS4021	ATS4014	ATS4121	ATS4114
APT4711	900	1650	750	849	1548	648	800	ATS4021	ATS4015	ATS4121	ATS4115
APT4712	900	1650	900	849	1548	798	800	ATS4021	ATS4016	ATS4121	ATS4116
APT4713	900	1650	1050	849	1548	948	800	ATS4021	ATS4017	ATS4121	ATS4117
APT4714	900	1650	1200	849	1548	1098	800	ATS4021	ATS4018	ATS4121	ATS4118
APT4715	1000	1650	300	949	1548	198	800	ATS4032	ATS4023	ATS4132	ATS4123
APT4716	1000	1650	450	949	1548	348	800	ATS4032	ATS4024	ATS4132	ATS4124
APT4717	1000	1650	600	949	1548	498	800	ATS4032	ATS4025	ATS4132	ATS4125
APT4718	1000	1650	750	949	1548	648	800	ATS4032	ATS4026	ATS4132	ATS4126
APT4719	1000	1650	900	949	1548	798	800	ATS4032	ATS4027	ATS4132	ATS4127
APT4720	1000	1650	1050	949	1548	948	800	ATS4032	ATS4028	ATS4132	ATS4128
APT4721	1000	1650	1200	949	1548	1098	800	ATS4032	ATS4029	ATS4132	ATS4129
APT4722	1100	1650	300	1049	1548	198	800	ATS4043	ATS4034	ATS4143	ATS4134
APT4723	1100	1650	450	1049	1548	348	800	ATS4043	ATS4035	ATS4143	ATS4135
APT4724	1100	1650	600	1049	1548	498	800	ATS4043	ATS4036	ATS4143	ATS4136
APT4725	1100	1650	750	1049	1548	648	800	ATS4043	ATS4037	ATS4143	ATS4137
APT4726	1100	1650	900	1049	1548	798	800	ATS4043	ATS4038	ATS4143	ATS4138
APT4727	1100	1650	1050	1049	1548	948	800	ATS4043	ATS4039	ATS4143	ATS4139
APT4728	1100	1650	1200	1049	1548	1098	800	ATS4043	ATS4040	ATS4143	ATS4140
APT4729	1200	1650	300	1149	1548	198	800	ATS4054	ATS4045	ATS4154	ATS4145
APT4730	1200	1650	450	1149	1548	348	800	ATS4054	ATS4046	ATS4154	ATS4146
APT4731	1200	1650	600	1149	1548	498	800	ATS4054	ATS4047	ATS4154	ATS4147
APT4732	1200	1650	750	1149	1548	648	800	ATS4054	ATS4048	ATS4154	ATS4148
APT4733	1200	1650	900	1149	1548	798	800	ATS4054	ATS4049	ATS4154	ATS4149
APT4734	1200	1650	1050	1149	1548	948	800	ATS4054	ATS4050	ATS4154	ATS4150
APT4735	1200	1650	1200	1149	1548	1098	800	ATS4054	ATS4051	ATS4154	ATS4151
APT4736	1300	1650	300	1249	1548	198	800	ATS4065	ATS4056	ATS4165	ATS4156
APT4737	1300	1650	450	1249	1548	348	800	ATS4065	ATS4057	ATS4165	ATS4157
APT4738	1300	1650	600	1249	1548	498	800	ATS4065	ATS4058	ATS4165	ATS4158
APT4739	1300	1650	750	1249	1548	648	800	ATS4065	ATS4059	ATS4165	ATS4159
APT4740	1300	1650	900	1249	1548	798	800	ATS4065	ATS4060	ATS4165	ATS4160
APT4741	1300	1650	1050	1249	1548	948	800	ATS4065	ATS4061	ATS4165	ATS4161
APT4742	1300	1650	1200	1249	1548	1098	800	ATS4065	ATS4062	ATS4165	ATS4162
APT4743	1400	1650	300	1349	1548	198	800	ATS4076	ATS4067	ATS4176	ATS4167
APT4744	1400	1650	450	1349	1548	348	800	ATS4076	ATS4068	ATS4176	ATS4168
APT4745	1400	1650	600	1349	1548	498	800	ATS4076	ATS4069	ATS4176	ATS4169
APT4746	1400	1650	750	1349	1548	648	800	ATS4076	ATS4070	ATS4176	ATS4170
APT4747	1400	1650	900	1349	1548	798	800	ATS4076	ATS4071	ATS4176	ATS4171
APT4748	1400	1650	1050	1349	1548	948	800	ATS4076	ATS4072	ATS4176	ATS4172
APT4749	1400	1650	1200	1349	1548	1098	800	ATS4076	ATS4073	ATS4176	ATS4173
APT4750	1500	1650	300	1449	1548	198	800	ATS4087	ATS4078	ATS4187	ATS4178
APT4751	1500	1650	450	1449	1548	348	800	ATS4087	ATS4079	ATS4187	ATS4179
APT4752	1500	1650	600	1449	1548	498	800	ATS4087	ATS4080	ATS4187	ATS4180
APT4753	1500	1650	750	1449	1548	648	800	ATS4087	ATS4081	ATS4187	ATS4181
APT4754	1500	1650	900	1449	1548	798	800	ATS4087	ATS4082	ATS4187	ATS4182
APT4755	1500	1650	1050	1449	1548	948	800	ATS4087	ATS4083	ATS4187	ATS4183
APT4756	1500	1650	1200	1449	1548	1098	800	ATS4087	ATS4084	ATS4187	ATS4184

# FOUR LEG PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	C	X	SCREEN PANELS			
								STYLE C		STYLE F	
								FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT4801	800	1800	300	749	1698	198	875	ATS4011	ATS4001	ATS4111	ATS4101
APT4802	800	1800	450	749	1698	348	875	ATS4011	ATS4002	ATS4111	ATS4102
APT4803	800	1800	600	749	1698	498	875	ATS4011	ATS4003	ATS4111	ATS4103
APT4804	800	1800	750	749	1698	648	875	ATS4011	ATS4004	ATS4111	ATS4104
APT4805	800	1800	900	749	1698	798	875	ATS4011	ATS4005	ATS4111	ATS4105
APT4806	800	1800	1050	749	1698	948	875	ATS4011	ATS4006	ATS4111	ATS4106
APT4807	800	1800	1200	749	1698	1098	875	ATS4011	ATS4007	ATS4111	ATS4107
APT4808	900	1800	300	849	1698	198	875	ATS4022	ATS4012	ATS4122	ATS4112
APT4809	900	1800	450	849	1698	348	875	ATS4022	ATS4013	ATS4122	ATS4113
APT4810	900	1800	600	849	1698	498	875	ATS4022	ATS4014	ATS4122	ATS4114
APT4811	900	1800	750	849	1698	648	875	ATS4022	ATS4015	ATS4122	ATS4115
APT4812	900	1800	900	849	1698	798	875	ATS4022	ATS4016	ATS4122	ATS4116
APT4813	900	1800	1050	849	1698	948	875	ATS4022	ATS4017	ATS4122	ATS4117
APT4814	900	1800	1200	849	1698	1098	875	ATS4022	ATS4018	ATS4122	ATS4118
APT4815	1000	1800	300	949	1698	198	875	ATS4033	ATS4023	ATS4133	ATS4123
APT4816	1000	1800	450	949	1698	348	875	ATS4033	ATS4024	ATS4133	ATS4124
APT4817	1000	1800	600	949	1698	498	875	ATS4033	ATS4025	ATS4133	ATS4125
APT4818	1000	1800	750	949	1698	648	875	ATS4033	ATS4026	ATS4133	ATS4126
APT4819	1000	1800	900	949	1698	798	875	ATS4033	ATS4027	ATS4133	ATS4127
APT4820	1000	1800	1050	949	1698	948	875	ATS4033	ATS4028	ATS4133	ATS4128
APT4821	1000	1800	1200	949	1698	1098	875	ATS4033	ATS4029	ATS4133	ATS4129
APT4822	1100	1800	300	1049	1698	198	875	ATS4044	ATS4034	ATS4144	ATS4134
APT4823	1100	1800	450	1049	1698	348	875	ATS4044	ATS4035	ATS4144	ATS4135
APT4824	1100	1800	600	1049	1698	498	875	ATS4044	ATS4036	ATS4144	ATS4136
APT4825	1100	1800	750	1049	1698	648	875	ATS4044	ATS4037	ATS4144	ATS4137
APT4826	1100	1800	900	1049	1698	798	875	ATS4044	ATS4038	ATS4144	ATS4138
APT4827	1100	1800	1050	1049	1698	948	875	ATS4044	ATS4039	ATS4144	ATS4139
APT4828	1100	1800	1200	1049	1698	1098	875	ATS4044	ATS4040	ATS4144	ATS4140
APT4829	1200	1800	300	1149	1698	198	875	ATS4055	ATS4045	ATS4155	ATS4145
APT4830	1200	1800	450	1149	1698	348	875	ATS4055	ATS4046	ATS4155	ATS4146
APT4831	1200	1800	600	1149	1698	498	875	ATS4055	ATS4047	ATS4155	ATS4147
APT4832	1200	1800	750	1149	1698	648	875	ATS4055	ATS4048	ATS4155	ATS4148
APT4833	1200	1800	900	1149	1698	798	875	ATS4055	ATS4049	ATS4155	ATS4149
APT4834	1200	1800	1050	1149	1698	948	875	ATS4055	ATS4050	ATS4155	ATS4150
APT4835	1200	1800	1200	1149	1698	1098	875	ATS4055	ATS4051	ATS4155	ATS4151
APT4836	1300	1800	300	1249	1698	198	875	ATS4066	ATS4056	ATS4166	ATS4156
APT4837	1300	1800	450	1249	1698	348	875	ATS4066	ATS4057	ATS4166	ATS4157
APT4838	1300	1800	600	1249	1698	498	875	ATS4066	ATS4058	ATS4166	ATS4158
APT4839	1300	1800	750	1249	1698	648	875	ATS4066	ATS4059	ATS4166	ATS4159
APT4840	1300	1800	900	1249	1698	798	875	ATS4066	ATS4060	ATS4166	ATS4160
APT4841	1300	1800	1050	1249	1698	948	875	ATS4066	ATS4061	ATS4166	ATS4161
APT4842	1300	1800	1200	1249	1698	1098	875	ATS4066	ATS4062	ATS4166	ATS4162
APT4843	1400	1800	300	1349	1698	198	875	ATS4077	ATS4067	ATS4177	ATS4167
APT4844	1400	1800	450	1349	1698	348	875	ATS4077	ATS4068	ATS4177	ATS4168
APT4845	1400	1800	600	1349	1698	498	875	ATS4077	ATS4069	ATS4177	ATS4169
APT4846	1400	1800	750	1349	1698	648	875	ATS4077	ATS4070	ATS4177	ATS4170
APT4847	1400	1800	900	1349	1698	798	875	ATS4077	ATS4071	ATS4177	ATS4171
APT4848	1400	1800	1050	1349	1698	948	875	ATS4077	ATS4072	ATS4177	ATS4172
APT4849	1400	1800	1200	1349	1698	1098	875	ATS4077	ATS4073	ATS4177	ATS4173
APT4850	1500	1800	300	1449	1698	198	875	ATS4088	ATS4078	ATS4188	ATS4178
APT4851	1500	1800	450	1449	1698	348	875	ATS4088	ATS4079	ATS4188	ATS4179
APT4852	1500	1800	600	1449	1698	498	875	ATS4088	ATS4080	ATS4188	ATS4180
APT4853	1500	1800	750	1449	1698	648	875	ATS4088	ATS4081	ATS4188	ATS4181
APT4854	1500	1800	900	1449	1698	798	875	ATS4088	ATS4082	ATS4188	ATS4182
APT4855	1500	1800	1050	1449	1698	948	875	ATS4088	ATS4083	ATS4188	ATS4183
APT4856	1500	1800	1200	1449	1698	1098	875	ATS4088	ATS4084	ATS4188	ATS4184

# "U" STYLE PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS


# NAAMS



Assembly

10/16/07

A



THIS STANDARD IS FOR THE FRAME ONLY.  
THE "PLATE" OR "PLATES" WILL BE THE DETAIL  
AND THE FRAME WILL BE A SUB DETAIL IN THE STOCK LIST.

**INCH STOCK**

- |   |                                |                           |
|---|--------------------------------|---------------------------|
| a | 2 - STL TBG ASTM A-500 GRADE B | 2 X 2 X 3/16 W/T X A      |
| b | 4 - STL TBG ASTM A-500 GRADE B | 2 X 2 X 3/16 W/T X B      |
| c | 4 - STL TBG ASTM A-500 GRADE B | 2 X 2 X 3/16 W/T X HEIGHT |
| d | 2 - STL TBG ASTM A-500 GRADE B | 2 X 2 X 3/16 W/T X 200MM  |
| e | 4 - NAAMS ANCHOR ANGLE         | ABL443*                   |

**METRIC STOCK**

- |   |                                |                          |
|---|--------------------------------|--------------------------|
| a | 2 - STL TBG ASTM A-500 GRADE B | 50 X 50 X 4 W/T X A      |
| b | 4 - STL TBG ASTM A-500 GRADE B | 50 X 50 X 4 W/T X B      |
| c | 4 - STL TBG ASTM A-500 GRADE B | 50 X 50 X 4 W/T X HEIGHT |
| e | 2 - STL TBG ASTM A-500 GRADE B | 50 X 50 X 4 W/T X 200MM  |
| d | 4 - NAAMS ANCHOR ANGLE         | ABL443*                  |

WELDED END CAPS TO SUIT

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART

\* NAAMS STD ANCHOR ANGLES ABL443  
LOCATION TO BE DETERMINED FROM  
SYSTEM LAYOUT. FOR OPERATOR  
LOAD CLEARANCE  
POSITION SHOWN IS REFERENCE ONLY.

TOLERANCES  
1 PLACE FABRICATION ±1.5MM

B

# "U" STYLE PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3001	800	600	300	498	198	ATS4003	ATS4001	ATS4103	ATS4101
APT3002	800	600	450	498	348	ATS4003	ATS4002	ATS4103	ATS4102
APT3003	800	600	600	498	498	ATS4003	ATS4003	ATS4103	ATS4103
APT3004	900	600	300	498	198	ATS4014	ATS4012	ATS4114	ATS4112
APT3005	900	600	450	498	348	ATS4014	ATS4013	ATS4114	ATS4113
APT3006	900	600	600	498	498	ATS4014	ATS4014	ATS4114	ATS4114
APT3007	1000	600	300	498	198	ATS4025	ATS4023	ATS4125	ATS4123
APT3008	1000	600	450	498	348	ATS4025	ATS4024	ATS4125	ATS4124
APT3009	1000	600	600	498	498	ATS4025	ATS4025	ATS4125	ATS4125
APT3010	1100	600	300	498	198	ATS4036	ATS4034	ATS4136	ATS4134
APT3011	1100	600	450	498	348	ATS4036	ATS4035	ATS4136	ATS4135
APT3012	1100	600	600	498	498	ATS4036	ATS4036	ATS4136	ATS4136
APT3013	1200	600	300	498	198	ATS4047	ATS4045	ATS4147	ATS4145
APT3014	1200	600	450	498	348	ATS4047	ATS4046	ATS4147	ATS4146
APT3015	1200	600	600	498	498	ATS4047	ATS4047	ATS4147	ATS4147
APT3016	1300	600	300	498	198	ATS4058	ATS4056	ATS4158	ATS4156
APT3017	1300	600	450	498	348	ATS4058	ATS4057	ATS4158	ATS4157
APT3018	1300	600	600	498	498	ATS4058	ATS4058	ATS4158	ATS4158
APT3019	1400	600	300	498	198	ATS4069	ATS4067	ATS4169	ATS4167
APT3020	1400	600	450	498	348	ATS4069	ATS4068	ATS4169	ATS4168
APT3021	1400	600	600	498	498	ATS4069	ATS4069	ATS4169	ATS4169
APT3022	1500	600	300	498	198	ATS4080	ATS4078	ATS4180	ATS4178
APT3023	1500	600	450	498	348	ATS4080	ATS4079	ATS4180	ATS4179
APT3024	1500	600	600	498	498	ATS4080	ATS4080	ATS4180	ATS4180
APT3101	800	750	300	648	198	ATS4004	ATS4001	ATS4104	ATS4101
APT3102	800	750	450	648	348	ATS4004	ATS4002	ATS4104	ATS4102
APT3103	800	750	600	648	498	ATS4004	ATS4003	ATS4104	ATS4103
APT3104	800	750	750	648	648	ATS4004	ATS4004	ATS4104	ATS4104
APT3105	900	750	300	648	198	ATS4015	ATS4012	ATS4115	ATS4112
APT3106	900	750	450	648	348	ATS4015	ATS4013	ATS4115	ATS4113
APT3107	900	750	600	648	498	ATS4015	ATS4014	ATS4115	ATS4114
APT3108	900	750	750	648	648	ATS4015	ATS4015	ATS4115	ATS4115
APT3109	1000	750	300	648	198	ATS4026	ATS4023	ATS4126	ATS4123
APT3110	1000	750	450	648	348	ATS4026	ATS4024	ATS4126	ATS4124
APT3111	1000	750	600	648	498	ATS4026	ATS4025	ATS4126	ATS4125
APT3112	1000	750	750	648	648	ATS4026	ATS4026	ATS4126	ATS4126
APT3113	1100	750	300	648	198	ATS4037	ATS4034	ATS4137	ATS4134
APT3114	1100	750	450	648	348	ATS4037	ATS4035	ATS4137	ATS4135
APT3115	1100	750	600	648	498	ATS4037	ATS4036	ATS4137	ATS4136
APT3116	1100	750	750	648	648	ATS4037	ATS4037	ATS4137	ATS4137
APT3117	1200	750	300	648	198	ATS4048	ATS4045	ATS4148	ATS4145
APT3118	1200	750	450	648	348	ATS4048	ATS4046	ATS4148	ATS4146
APT3119	1200	750	600	648	498	ATS4048	ATS4047	ATS4148	ATS4147
APT3120	1200	750	750	648	648	ATS4048	ATS4048	ATS4148	ATS4148
APT3121	1300	750	300	648	198	ATS4059	ATS4056	ATS4159	ATS4156
APT3122	1300	750	450	648	348	ATS4059	ATS4057	ATS4159	ATS4157
APT3123	1300	750	600	648	498	ATS4059	ATS4058	ATS4159	ATS4158
APT3124	1300	750	750	648	648	ATS4059	ATS4059	ATS4159	ATS4159
APT3125	1400	750	300	648	198	ATS4070	ATS4067	ATS4170	ATS4167
APT3126	1400	750	450	648	348	ATS4070	ATS4068	ATS4170	ATS4168
APT3127	1400	750	600	648	498	ATS4070	ATS4069	ATS4170	ATS4169
APT3128	1400	750	750	648	648	ATS4070	ATS4070	ATS4170	ATS4170
APT3129	1500	750	300	648	198	ATS4081	ATS4078	ATS4181	ATS4178
APT3130	1500	750	450	648	348	ATS4081	ATS4079	ATS4181	ATS4179
APT3131	1500	750	600	648	498	ATS4081	ATS4080	ATS4181	ATS4180
APT3132	1500	750	750	648	648	ATS4081	ATS4081	ATS4181	ATS4181

# “U” STYLE PASS / LOAD STAND 2” TUBING “FLAT”™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3201	800	900	300	798	198	ATS4005	ATS4001	ATS4105	ATS4101
APT3202	800	900	450	798	348	ATS4005	ATS4002	ATS4105	ATS4102
APT3203	800	900	600	798	498	ATS4005	ATS4003	ATS4105	ATS4103
APT3204	800	900	750	798	648	ATS4005	ATS4004	ATS4105	ATS4104
APT3205	800	900	900	798	798	ATS4005	ATS4005	ATS4105	ATS4105
APT3206	900	900	300	798	198	ATS4016	ATS4012	ATS4116	ATS4112
APT3207	900	900	450	798	348	ATS4016	ATS4013	ATS4116	ATS4113
APT3208	900	900	600	798	498	ATS4016	ATS4014	ATS4116	ATS4114
APT3209	900	900	750	798	648	ATS4016	ATS4015	ATS4116	ATS4115
APT3210	900	900	900	798	798	ATS4016	ATS4016	ATS4116	ATS4116
APT3211	1000	900	300	798	198	ATS4027	ATS4023	ATS4127	ATS4123
APT3212	1000	900	450	798	348	ATS4027	ATS4024	ATS4127	ATS4124
APT3213	1000	900	600	798	498	ATS4027	ATS4025	ATS4127	ATS4125
APT3214	1000	900	750	798	648	ATS4027	ATS4026	ATS4127	ATS4126
APT3215	1000	900	900	798	798	ATS4027	ATS4027	ATS4127	ATS4127
APT3216	1100	900	300	798	198	ATS4038	ATS4034	ATS4138	ATS4134
APT3217	1100	900	450	798	348	ATS4038	ATS4035	ATS4138	ATS4135
APT3218	1100	900	600	798	498	ATS4038	ATS4036	ATS4138	ATS4136
APT3219	1100	900	750	798	648	ATS4038	ATS4037	ATS4138	ATS4137
APT3220	1100	900	900	798	798	ATS4038	ATS4038	ATS4138	ATS4138
APT3221	1200	900	300	798	198	ATS4049	ATS4045	ATS4149	ATS4145
APT3222	1200	900	450	798	348	ATS4049	ATS4046	ATS4149	ATS4146
APT3223	1200	900	600	798	498	ATS4049	ATS4047	ATS4149	ATS4147
APT3224	1200	900	750	798	648	ATS4049	ATS4048	ATS4149	ATS4148
APT3225	1200	900	900	798	798	ATS4049	ATS4049	ATS4149	ATS4149
APT3226	1300	900	300	798	198	ATS4060	ATS4056	ATS4160	ATS4156
APT3227	1300	900	450	798	348	ATS4060	ATS4057	ATS4160	ATS4157
APT3228	1300	900	600	798	498	ATS4060	ATS4058	ATS4160	ATS4158
APT3229	1300	900	750	798	648	ATS4060	ATS4059	ATS4160	ATS4159
APT3230	1300	900	900	798	798	ATS4060	ATS4060	ATS4160	ATS4160
APT3231	1400	900	300	798	198	ATS4071	ATS4067	ATS4171	ATS4167
APT3232	1400	900	450	798	348	ATS4071	ATS4068	ATS4171	ATS4168
APT3233	1400	900	600	798	498	ATS4071	ATS4069	ATS4171	ATS4169
APT3234	1400	900	750	798	648	ATS4071	ATS4070	ATS4171	ATS4170
APT3235	1400	900	900	798	798	ATS4071	ATS4071	ATS4171	ATS4171
APT3236	1500	900	300	798	198	ATS4082	ATS4078	ATS4182	ATS4178
APT3237	1500	900	450	798	348	ATS4082	ATS4079	ATS4182	ATS4179
APT3238	1500	900	600	798	498	ATS4082	ATS4080	ATS4182	ATS4180
APT3239	1500	900	750	798	648	ATS4082	ATS4081	ATS4182	ATS4181
APT3240	1500	900	900	798	798	ATS4082	ATS4082	ATS4182	ATS4182



# "U" STYLE PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3301	800	1050	300	948	198	ATS4006	ATS4001	ATS4106	ATS4101
APT3302	800	1050	450	948	348	ATS4006	ATS4002	ATS4106	ATS4102
APT3303	800	1050	600	948	498	ATS4006	ATS4003	ATS4106	ATS4103
APT3304	800	1050	750	948	648	ATS4006	ATS4004	ATS4106	ATS4104
APT3305	800	1050	900	948	798	ATS4006	ATS4005	ATS4106	ATS4105
APT3306	800	1050	1050	948	948	ATS4006	ATS4006	ATS4106	ATS4106
APT3307	900	1050	300	948	198	ATS4017	ATS4012	ATS4117	ATS4112
APT3308	900	1050	450	948	348	ATS4017	ATS4013	ATS4117	ATS4113
APT3309	900	1050	600	948	498	ATS4017	ATS4014	ATS4117	ATS4114
APT3310	900	1050	750	948	648	ATS4017	ATS4015	ATS4117	ATS4115
APT3311	900	1050	900	948	798	ATS4017	ATS4016	ATS4117	ATS4116
APT3312	900	1050	1050	948	948	ATS4017	ATS4017	ATS4117	ATS4117
APT3313	1000	1050	300	948	198	ATS4028	ATS4023	ATS4128	ATS4123
APT3314	1000	1050	450	948	348	ATS4028	ATS4024	ATS4128	ATS4124
APT3315	1000	1050	600	948	498	ATS4028	ATS4025	ATS4128	ATS4125
APT3316	1000	1050	750	948	648	ATS4028	ATS4026	ATS4128	ATS4126
APT3317	1000	1050	900	948	798	ATS4028	ATS4027	ATS4128	ATS4127
APT3318	1000	1050	1050	948	948	ATS4028	ATS4028	ATS4128	ATS4128
APT3319	1100	1050	300	948	198	ATS4039	ATS4034	ATS4139	ATS4134
APT3320	1100	1050	450	948	348	ATS4039	ATS4035	ATS4139	ATS4135
APT3321	1100	1050	600	948	498	ATS4039	ATS4036	ATS4139	ATS4136
APT3322	1100	1050	750	948	648	ATS4039	ATS4037	ATS4139	ATS4137
APT3323	1100	1050	900	948	798	ATS4039	ATS4038	ATS4139	ATS4138
APT3324	1100	1050	1050	948	948	ATS4039	ATS4039	ATS4139	ATS4139
APT3325	1200	1050	300	948	198	ATS4050	ATS4045	ATS4150	ATS4145
APT3326	1200	1050	450	948	348	ATS4050	ATS4046	ATS4150	ATS4146
APT3327	1200	1050	600	948	498	ATS4050	ATS4047	ATS4150	ATS4147
APT3328	1200	1050	750	948	648	ATS4050	ATS4048	ATS4150	ATS4148
APT3329	1200	1050	900	948	798	ATS4050	ATS4049	ATS4150	ATS4149
APT3330	1200	1050	1050	948	948	ATS4050	ATS4050	ATS4150	ATS4150
APT3331	1300	1050	300	948	198	ATS4061	ATS4056	ATS4161	ATS4156
APT3332	1300	1050	450	948	348	ATS4061	ATS4057	ATS4161	ATS4157
APT3333	1300	1050	600	948	498	ATS4061	ATS4058	ATS4161	ATS4158
APT3334	1300	1050	750	948	648	ATS4061	ATS4059	ATS4161	ATS4159
APT3335	1300	1050	900	948	798	ATS4061	ATS4060	ATS4161	ATS4160
APT3336	1300	1050	1050	948	948	ATS4061	ATS4061	ATS4161	ATS4161
APT3337	1400	1050	300	948	198	ATS4072	ATS4067	ATS4172	ATS4167
APT3338	1400	1050	450	948	348	ATS4072	ATS4068	ATS4172	ATS4168
APT3339	1400	1050	600	948	498	ATS4072	ATS4069	ATS4172	ATS4169
APT3340	1400	1050	750	948	648	ATS4072	ATS4070	ATS4172	ATS4170
APT3341	1400	1050	900	948	798	ATS4072	ATS4071	ATS4172	ATS4171
APT3342	1400	1050	1050	948	948	ATS4072	ATS4072	ATS4172	ATS4172
APT3343	1500	1050	300	948	198	ATS4083	ATS4078	ATS4183	ATS4178
APT3344	1500	1050	450	948	348	ATS4083	ATS4079	ATS4183	ATS4179
APT3345	1500	1050	600	948	498	ATS4083	ATS4080	ATS4183	ATS4180
APT3346	1500	1050	750	948	648	ATS4083	ATS4081	ATS4183	ATS4181
APT3347	1500	1050	900	948	798	ATS4083	ATS4082	ATS4183	ATS4182
APT3348	1500	1050	1050	948	948	ATS4083	ATS4083	ATS4183	ATS4183

# "U" STYLE PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3401	800	1200	300	1098	198	ATS4007	ATS4001	ATS4107	ATS4101
APT3402	800	1200	450	1098	348	ATS4007	ATS4002	ATS4107	ATS4102
APT3403	800	1200	600	1098	498	ATS4007	ATS4003	ATS4107	ATS4103
APT3404	800	1200	750	1098	648	ATS4007	ATS4004	ATS4107	ATS4104
APT3405	800	1200	900	1098	798	ATS4007	ATS4005	ATS4107	ATS4105
APT3406	800	1200	1050	1098	948	ATS4007	ATS4006	ATS4107	ATS4106
APT3407	800	1200	1200	1098	1098	ATS4007	ATS4007	ATS4107	ATS4107
APT3408	900	1200	300	1098	198	ATS4018	ATS4012	ATS4118	ATS4112
APT3409	900	1200	450	1098	348	ATS4018	ATS4013	ATS4118	ATS4113
APT3410	900	1200	600	1098	498	ATS4018	ATS4014	ATS4118	ATS4114
APT3411	900	1200	750	1098	648	ATS4018	ATS4015	ATS4118	ATS4115
APT3412	900	1200	900	1098	798	ATS4018	ATS4016	ATS4118	ATS4116
APT3413	900	1200	1050	1098	948	ATS4018	ATS4017	ATS4118	ATS4117
APT3414	900	1200	1200	1098	1098	ATS4018	ATS4018	ATS4118	ATS4118
APT3415	1000	1200	300	1098	198	ATS4029	ATS4023	ATS4129	ATS4123
APT3416	1000	1200	450	1098	348	ATS4029	ATS4024	ATS4129	ATS4124
APT3417	1000	1200	600	1098	498	ATS4029	ATS4025	ATS4129	ATS4125
APT3418	1000	1200	750	1098	648	ATS4029	ATS4026	ATS4129	ATS4126
APT3419	1000	1200	900	1098	798	ATS4029	ATS4027	ATS4129	ATS4127
APT3420	1000	1200	1050	1098	948	ATS4029	ATS4028	ATS4129	ATS4128
APT3421	1000	1200	1200	1098	1098	ATS4029	ATS4029	ATS4129	ATS4129
APT3422	1100	1200	300	1098	198	ATS4040	ATS4034	ATS4140	ATS4134
APT3423	1100	1200	450	1098	348	ATS4040	ATS4035	ATS4140	ATS4135
APT3424	1100	1200	600	1098	498	ATS4040	ATS4036	ATS4140	ATS4136
APT3425	1100	1200	750	1098	648	ATS4040	ATS4037	ATS4140	ATS4137
APT3426	1100	1200	900	1098	798	ATS4040	ATS4038	ATS4140	ATS4138
APT3427	1100	1200	1050	1098	948	ATS4040	ATS4039	ATS4140	ATS4139
APT3428	1100	1200	1200	1098	1098	ATS4040	ATS4040	ATS4140	ATS4140
APT3429	1200	1200	300	1098	198	ATS4051	ATS4045	ATS4151	ATS4145
APT3430	1200	1200	450	1098	348	ATS4051	ATS4046	ATS4151	ATS4146
APT3431	1200	1200	600	1098	498	ATS4051	ATS4047	ATS4151	ATS4147
APT3432	1200	1200	750	1098	648	ATS4051	ATS4048	ATS4151	ATS4148
APT3433	1200	1200	900	1098	798	ATS4051	ATS4049	ATS4151	ATS4149
APT3434	1200	1200	1050	1098	948	ATS4051	ATS4050	ATS4151	ATS4150
APT3435	1200	1200	1200	1098	1098	ATS4051	ATS4051	ATS4151	ATS4151
APT3436	1300	1200	300	1098	198	ATS4062	ATS4056	ATS4162	ATS4156
APT3437	1300	1200	450	1098	348	ATS4062	ATS4057	ATS4162	ATS4157
APT3438	1300	1200	600	1098	498	ATS4062	ATS4058	ATS4162	ATS4158
APT3439	1300	1200	750	1098	648	ATS4062	ATS4059	ATS4162	ATS4159
APT3440	1300	1200	900	1098	798	ATS4062	ATS4060	ATS4162	ATS4160
APT3441	1300	1200	1050	1098	948	ATS4062	ATS4061	ATS4162	ATS4161
APT3442	1300	1200	1200	1098	1098	ATS4062	ATS4062	ATS4162	ATS4162
APT3443	1400	1200	300	1098	198	ATS4073	ATS4067	ATS4173	ATS4167
APT3444	1400	1200	450	1098	348	ATS4073	ATS4068	ATS4173	ATS4168
APT3445	1400	1200	600	1098	498	ATS4073	ATS4069	ATS4173	ATS4169
APT3446	1400	1200	750	1098	648	ATS4073	ATS4070	ATS4173	ATS4170
APT3447	1400	1200	900	1098	798	ATS4073	ATS4071	ATS4173	ATS4171
APT3448	1400	1200	1050	1098	948	ATS4073	ATS4072	ATS4173	ATS4172
APT3449	1400	1200	1200	1098	1098	ATS4073	ATS4073	ATS4173	ATS4173
APT3450	1500	1200	300	1098	198	ATS4084	ATS4078	ATS4184	ATS4178
APT3451	1500	1200	450	1098	348	ATS4084	ATS4079	ATS4184	ATS4179
APT3452	1500	1200	600	1098	498	ATS4084	ATS4080	ATS4184	ATS4180
APT3453	1500	1200	750	1098	648	ATS4084	ATS4081	ATS4184	ATS4181
APT3454	1500	1200	900	1098	798	ATS4084	ATS4082	ATS4184	ATS4182
APT3455	1500	1200	1050	1098	948	ATS4084	ATS4083	ATS4184	ATS4183
APT3456	1500	1200	1200	1098	1098	ATS4084	ATS4084	ATS4184	ATS4184

# "U" STYLE PASS / LOAD STAND 2" TUBING "FLAT"™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3501	800	1350	300	1248	198	ATS4008	ATS4001	ATS4108	ATS4101
APT3502	800	1350	450	1248	348	ATS4008	ATS4002	ATS4108	ATS4102
APT3503	800	1350	600	1248	498	ATS4008	ATS4003	ATS4108	ATS4103
APT3504	800	1350	750	1248	648	ATS4008	ATS4004	ATS4108	ATS4104
APT3505	800	1350	900	1248	798	ATS4008	ATS4005	ATS4108	ATS4105
APT3506	800	1350	1050	1248	948	ATS4008	ATS4006	ATS4108	ATS4106
APT3507	800	1350	1200	1248	1098	ATS4008	ATS4007	ATS4108	ATS4107
APT3508	900	1350	300	1248	198	ATS4019	ATS4012	ATS4119	ATS4112
APT3509	900	1350	450	1248	348	ATS4019	ATS4013	ATS4119	ATS4113
APT3510	900	1350	600	1248	498	ATS4019	ATS4014	ATS4119	ATS4114
APT3511	900	1350	750	1248	648	ATS4019	ATS4015	ATS4119	ATS4115
APT3512	900	1350	900	1248	798	ATS4019	ATS4016	ATS4119	ATS4116
APT3513	900	1350	1050	1248	948	ATS4019	ATS4017	ATS4119	ATS4117
APT3514	900	1350	1200	1248	1098	ATS4019	ATS4018	ATS4119	ATS4118
APT3515	1000	1350	300	1248	198	ATS4030	ATS4023	ATS4130	ATS4123
APT3516	1000	1350	450	1248	348	ATS4030	ATS4024	ATS4130	ATS4124
APT3517	1000	1350	600	1248	498	ATS4030	ATS4025	ATS4130	ATS4125
APT3518	1000	1350	750	1248	648	ATS4030	ATS4026	ATS4130	ATS4126
APT3519	1000	1350	900	1248	798	ATS4030	ATS4027	ATS4130	ATS4127
APT3520	1000	1350	1050	1248	948	ATS4030	ATS4028	ATS4130	ATS4128
APT3521	1000	1350	1200	1248	1098	ATS4030	ATS4029	ATS4130	ATS4129
APT3522	1100	1350	300	1248	198	ATS4041	ATS4034	ATS4141	ATS4134
APT3523	1100	1350	450	1248	348	ATS4041	ATS4035	ATS4141	ATS4135
APT3524	1100	1350	600	1248	498	ATS4041	ATS4036	ATS4141	ATS4136
APT3525	1100	1350	750	1248	648	ATS4041	ATS4037	ATS4141	ATS4137
APT3526	1100	1350	900	1248	798	ATS4041	ATS4038	ATS4141	ATS4138
APT3527	1100	1350	1050	1248	948	ATS4041	ATS4039	ATS4141	ATS4139
APT3528	1100	1350	1200	1248	1098	ATS4041	ATS4040	ATS4141	ATS4140
APT3529	1200	1350	300	1248	198	ATS4052	ATS4045	ATS4152	ATS4145
APT3530	1200	1350	450	1248	348	ATS4052	ATS4046	ATS4152	ATS4146
APT3531	1200	1350	600	1248	498	ATS4052	ATS4047	ATS4152	ATS4147
APT3532	1200	1350	750	1248	648	ATS4052	ATS4048	ATS4152	ATS4148
APT3533	1200	1350	900	1248	798	ATS4052	ATS4049	ATS4152	ATS4149
APT3534	1200	1350	1050	1248	948	ATS4052	ATS4050	ATS4152	ATS4150
APT3535	1200	1350	1200	1248	1098	ATS4052	ATS4051	ATS4152	ATS4151
APT3536	1300	1350	300	1248	198	ATS4063	ATS4056	ATS4163	ATS4156
APT3537	1300	1350	450	1248	348	ATS4063	ATS4057	ATS4163	ATS4157
APT3538	1300	1350	600	1248	498	ATS4063	ATS4058	ATS4163	ATS4158
APT3539	1300	1350	750	1248	648	ATS4063	ATS4059	ATS4163	ATS4159
APT3540	1300	1350	900	1248	798	ATS4063	ATS4060	ATS4163	ATS4160
APT3541	1300	1350	1050	1248	948	ATS4063	ATS4061	ATS4163	ATS4161
APT3542	1300	1350	1200	1248	1098	ATS4063	ATS4062	ATS4163	ATS4162
APT3543	1400	1350	300	1248	198	ATS4074	ATS4067	ATS4174	ATS4167
APT3544	1400	1350	450	1248	348	ATS4074	ATS4068	ATS4174	ATS4168
APT3545	1400	1350	600	1248	498	ATS4074	ATS4069	ATS4174	ATS4169
APT3546	1400	1350	750	1248	648	ATS4074	ATS4070	ATS4174	ATS4170
APT3547	1400	1350	900	1248	798	ATS4074	ATS4071	ATS4174	ATS4171
APT3548	1400	1350	1050	1248	948	ATS4074	ATS4072	ATS4174	ATS4172
APT3549	1400	1350	1200	1248	1098	ATS4074	ATS4073	ATS4174	ATS4173
APT3550	1500	1350	300	1248	198	ATS4085	ATS4078	ATS4185	ATS4178
APT3551	1500	1350	450	1248	348	ATS4085	ATS4079	ATS4185	ATS4179
APT3552	1500	1350	600	1248	498	ATS4085	ATS4080	ATS4185	ATS4180
APT3553	1500	1350	750	1248	648	ATS4085	ATS4081	ATS4185	ATS4181
APT3554	1500	1350	900	1248	798	ATS4085	ATS4082	ATS4185	ATS4182
APT3555	1500	1350	1050	1248	948	ATS4085	ATS4083	ATS4185	ATS4183
APT3556	1500	1350	1200	1248	1098	ATS4085	ATS4084	ATS4185	ATS4184

# “U” STYLE PASS / LOAD STAND 2” TUBING “FLAT”™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3601	800	1500	300	1398	198	ATS4009	ATS4001	ATS4109	ATS4101
APT3602	800	1500	450	1398	348	ATS4009	ATS4002	ATS4109	ATS4102
APT3603	800	1500	600	1398	498	ATS4009	ATS4003	ATS4109	ATS4103
APT3604	800	1500	750	1398	648	ATS4009	ATS4004	ATS4109	ATS4104
APT3605	800	1500	900	1398	798	ATS4009	ATS4005	ATS4109	ATS4105
APT3606	800	1500	1050	1398	948	ATS4009	ATS4006	ATS4109	ATS4106
APT3607	800	1500	1200	1398	1098	ATS4009	ATS4007	ATS4109	ATS4107
APT3608	900	1500	300	1398	198	ATS4020	ATS4012	ATS4120	ATS4112
APT3609	900	1500	450	1398	348	ATS4020	ATS4013	ATS4120	ATS4113
APT3610	900	1500	600	1398	498	ATS4020	ATS4014	ATS4120	ATS4114
APT3611	900	1500	750	1398	648	ATS4020	ATS4015	ATS4120	ATS4115
APT3612	900	1500	900	1398	798	ATS4020	ATS4016	ATS4120	ATS4116
APT3613	900	1500	1050	1398	948	ATS4020	ATS4017	ATS4120	ATS4117
APT3614	900	1500	1200	1398	1098	ATS4020	ATS4018	ATS4120	ATS4118
APT3615	1000	1500	300	1398	198	ATS4031	ATS4023	ATS4131	ATS4123
APT3616	1000	1500	450	1398	348	ATS4031	ATS4024	ATS4131	ATS4124
APT3617	1000	1500	600	1398	498	ATS4031	ATS4025	ATS4131	ATS4125
APT3618	1000	1500	750	1398	648	ATS4031	ATS4026	ATS4131	ATS4126
APT3619	1000	1500	900	1398	798	ATS4031	ATS4027	ATS4131	ATS4127
APT3620	1000	1500	1050	1398	948	ATS4031	ATS4028	ATS4131	ATS4128
APT3621	1000	1500	1200	1398	1098	ATS4031	ATS4029	ATS4131	ATS4129
APT3622	1100	1500	300	1398	198	ATS4042	ATS4034	ATS4142	ATS4134
APT3623	1100	1500	450	1398	348	ATS4042	ATS4035	ATS4142	ATS4135
APT3624	1100	1500	600	1398	498	ATS4042	ATS4036	ATS4142	ATS4136
APT3625	1100	1500	750	1398	648	ATS4042	ATS4037	ATS4142	ATS4137
APT3626	1100	1500	900	1398	798	ATS4042	ATS4038	ATS4142	ATS4138
APT3627	1100	1500	1050	1398	948	ATS4042	ATS4039	ATS4142	ATS4139
APT3628	1100	1500	1200	1398	1098	ATS4042	ATS4040	ATS4142	ATS4140
APT3629	1200	1500	300	1398	198	ATS4053	ATS4045	ATS4153	ATS4145
APT3630	1200	1500	450	1398	348	ATS4053	ATS4046	ATS4153	ATS4146
APT3631	1200	1500	600	1398	498	ATS4053	ATS4047	ATS4153	ATS4147
APT3632	1200	1500	750	1398	648	ATS4053	ATS4048	ATS4153	ATS4148
APT3633	1200	1500	900	1398	798	ATS4053	ATS4049	ATS4153	ATS4149
APT3634	1200	1500	1050	1398	948	ATS4053	ATS4050	ATS4153	ATS4150
APT3635	1200	1500	1200	1398	1098	ATS4053	ATS4051	ATS4153	ATS4151
APT3636	1300	1500	300	1398	198	ATS4064	ATS4056	ATS4164	ATS4156
APT3637	1300	1500	450	1398	348	ATS4064	ATS4057	ATS4164	ATS4157
APT3638	1300	1500	600	1398	498	ATS4064	ATS4058	ATS4164	ATS4158
APT3639	1300	1500	750	1398	648	ATS4064	ATS4059	ATS4164	ATS4159
APT3640	1300	1500	900	1398	798	ATS4064	ATS4060	ATS4164	ATS4160
APT3641	1300	1500	1050	1398	948	ATS4064	ATS4061	ATS4164	ATS4161
APT3642	1300	1500	1200	1398	1098	ATS4064	ATS4062	ATS4164	ATS4162
APT3643	1400	1500	300	1398	198	ATS4075	ATS4067	ATS4175	ATS4167
APT3644	1400	1500	450	1398	348	ATS4075	ATS4068	ATS4175	ATS4168
APT3645	1400	1500	600	1398	498	ATS4075	ATS4069	ATS4175	ATS4169
APT3646	1400	1500	750	1398	648	ATS4075	ATS4070	ATS4175	ATS4170
APT3647	1400	1500	900	1398	798	ATS4075	ATS4071	ATS4175	ATS4171
APT3648	1400	1500	1050	1398	948	ATS4075	ATS4072	ATS4175	ATS4172
APT3649	1400	1500	1200	1398	1098	ATS4075	ATS4073	ATS4175	ATS4173
APT3650	1500	1500	300	1398	198	ATS4086	ATS4078	ATS4186	ATS4178
APT3651	1500	1500	450	1398	348	ATS4086	ATS4079	ATS4186	ATS4179
APT3652	1500	1500	600	1398	498	ATS4086	ATS4080	ATS4186	ATS4180
APT3653	1500	1500	750	1398	648	ATS4086	ATS4081	ATS4186	ATS4181
APT3654	1500	1500	900	1398	798	ATS4086	ATS4082	ATS4186	ATS4182
APT3655	1500	1500	1050	1398	948	ATS4086	ATS4083	ATS4186	ATS4183
APT3656	1500	1500	1200	1398	1098	ATS4086	ATS4084	ATS4186	ATS4184

# “U” STYLE PASS / LOAD STAND 2” TUBING “FLAT”™

GLOBAL STANDARD COMPONENTS



Assembly

10/10/08

A

B

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3701	800	1650	300	1548	198	ATS4010	ATS4001	ATS4110	ATS4101
APT3702	800	1650	450	1548	348	ATS4010	ATS4002	ATS4110	ATS4102
APT3703	800	1650	600	1548	498	ATS4010	ATS4003	ATS4110	ATS4103
APT3704	800	1650	750	1548	648	ATS4010	ATS4004	ATS4110	ATS4104
APT3705	800	1650	900	1548	798	ATS4010	ATS4005	ATS4110	ATS4105
APT3706	800	1650	1050	1548	948	ATS4010	ATS4006	ATS4110	ATS4106
APT3707	800	1650	1200	1548	1098	ATS4010	ATS4007	ATS4110	ATS4107
APT3708	900	1650	300	1548	198	ATS4021	ATS4012	ATS4121	ATS4112
APT3709	900	1650	450	1548	348	ATS4021	ATS4013	ATS4121	ATS4113
APT3710	900	1650	600	1548	498	ATS4021	ATS4014	ATS4121	ATS4114
APT3711	900	1650	750	1548	648	ATS4021	ATS4015	ATS4121	ATS4115
APT3712	900	1650	900	1548	798	ATS4021	ATS4016	ATS4121	ATS4116
APT3713	900	1650	1050	1548	948	ATS4021	ATS4017	ATS4121	ATS4117
APT3714	900	1650	1200	1548	1098	ATS4021	ATS4018	ATS4121	ATS4118
APT3715	1000	1650	300	1548	198	ATS4032	ATS4023	ATS4132	ATS4123
APT3716	1000	1650	450	1548	348	ATS4032	ATS4024	ATS4132	ATS4124
APT3717	1000	1650	600	1548	498	ATS4032	ATS4025	ATS4132	ATS4125
APT3718	1000	1650	750	1548	648	ATS4032	ATS4026	ATS4132	ATS4126
APT3719	1000	1650	900	1548	798	ATS4032	ATS4027	ATS4132	ATS4127
APT3720	1000	1650	1050	1548	948	ATS4032	ATS4028	ATS4132	ATS4128
APT3721	1000	1650	1200	1548	1098	ATS4032	ATS4029	ATS4132	ATS4129
APT3722	1100	1650	300	1548	198	ATS4043	ATS4034	ATS4143	ATS4134
APT3723	1100	1650	450	1548	348	ATS4043	ATS4035	ATS4143	ATS4135
APT3724	1100	1650	600	1548	498	ATS4043	ATS4036	ATS4143	ATS4136
APT3725	1100	1650	750	1548	648	ATS4043	ATS4037	ATS4143	ATS4137
APT3726	1100	1650	900	1548	798	ATS4043	ATS4038	ATS4143	ATS4138
APT3727	1100	1650	1050	1548	948	ATS4043	ATS4039	ATS4143	ATS4139
APT3728	1100	1650	1200	1548	1098	ATS4043	ATS4040	ATS4143	ATS4140
APT3729	1200	1650	300	1548	198	ATS4054	ATS4045	ATS4154	ATS4145
APT3730	1200	1650	450	1548	348	ATS4054	ATS4046	ATS4154	ATS4146
APT3731	1200	1650	600	1548	498	ATS4054	ATS4047	ATS4154	ATS4147
APT3732	1200	1650	750	1548	648	ATS4054	ATS4048	ATS4154	ATS4148
APT3733	1200	1650	900	1548	798	ATS4054	ATS4049	ATS4154	ATS4149
APT3734	1200	1650	1050	1548	948	ATS4054	ATS4050	ATS4154	ATS4150
APT3735	1200	1650	1200	1548	1098	ATS4054	ATS4051	ATS4154	ATS4151
APT3736	1300	1650	300	1548	198	ATS4065	ATS4056	ATS4165	ATS4156
APT3737	1300	1650	450	1548	348	ATS4065	ATS4057	ATS4165	ATS4157
APT3738	1300	1650	600	1548	498	ATS4065	ATS4058	ATS4165	ATS4158
APT3739	1300	1650	750	1548	648	ATS4065	ATS4059	ATS4165	ATS4159
APT3740	1300	1650	900	1548	798	ATS4065	ATS4060	ATS4165	ATS4160
APT3741	1300	1650	1050	1548	948	ATS4065	ATS4061	ATS4165	ATS4161
APT3742	1300	1650	1200	1548	1098	ATS4065	ATS4062	ATS4165	ATS4162
APT3743	1400	1650	300	1548	198	ATS4076	ATS4067	ATS4176	ATS4167
APT3744	1400	1650	450	1548	348	ATS4076	ATS4068	ATS4176	ATS4168
APT3745	1400	1650	600	1548	498	ATS4076	ATS4069	ATS4176	ATS4169
APT3746	1400	1650	750	1548	648	ATS4076	ATS4070	ATS4176	ATS4170
APT3747	1400	1650	900	1548	798	ATS4076	ATS4071	ATS4176	ATS4171
APT3748	1400	1650	1050	1548	948	ATS4076	ATS4072	ATS4176	ATS4172
APT3749	1400	1650	1200	1548	1098	ATS4076	ATS4073	ATS4176	ATS4173
APT3750	1500	1650	300	1548	198	ATS4087	ATS4078	ATS4187	ATS4178
APT3751	1500	1650	450	1548	348	ATS4087	ATS4079	ATS4187	ATS4179
APT3752	1500	1650	600	1548	498	ATS4087	ATS4080	ATS4187	ATS4180
APT3753	1500	1650	750	1548	648	ATS4087	ATS4081	ATS4187	ATS4181
APT3754	1500	1650	900	1548	798	ATS4087	ATS4082	ATS4187	ATS4182
APT3755	1500	1650	1050	1548	948	ATS4087	ATS4083	ATS4187	ATS4183
APT3756	1500	1650	1200	1548	1098	ATS4087	ATS4084	ATS4187	ATS4184

C

# “U” STYLE PASS / LOAD STAND 2” TUBING “FLAT”™

GLOBAL STANDARD COMPONENTS



Assembly

10/16/07

NAAMS CODE	HEIGHT	LENGTH	WIDTH	A	B	SCREEN PANELS			
						STYLE C		STYLE F	
						FRONT (1)	SIDES (2)	FRONT (1)	SIDES (2)
APT3801	800	1800	300	1698	198	ATS4011	ATS4001	ATS4111	ATS4101
APT3802	800	1800	450	1698	348	ATS4011	ATS4002	ATS4111	ATS4102
APT3803	800	1800	600	1698	498	ATS4011	ATS4003	ATS4111	ATS4103
APT3804	800	1800	750	1698	648	ATS4011	ATS4004	ATS4111	ATS4104
APT3805	800	1800	900	1698	798	ATS4011	ATS4005	ATS4111	ATS4105
APT3806	800	1800	1050	1698	948	ATS4011	ATS4006	ATS4111	ATS4106
APT3807	800	1800	1200	1698	1098	ATS4011	ATS4007	ATS4111	ATS4107
APT3808	900	1800	300	1698	198	ATS4022	ATS4012	ATS4122	ATS4112
APT3809	900	1800	450	1698	348	ATS4022	ATS4013	ATS4122	ATS4113
APT3810	900	1800	600	1698	498	ATS4022	ATS4014	ATS4122	ATS4114
APT3811	900	1800	750	1698	648	ATS4022	ATS4015	ATS4122	ATS4115
APT3812	900	1800	900	1698	798	ATS4022	ATS4016	ATS4122	ATS4116
APT3813	900	1800	1050	1698	948	ATS4022	ATS4017	ATS4122	ATS4117
APT3814	900	1800	1200	1698	1098	ATS4022	ATS4018	ATS4122	ATS4118
APT3815	1000	1800	300	1698	198	ATS4033	ATS4023	ATS4133	ATS4123
APT3816	1000	1800	450	1698	348	ATS4033	ATS4024	ATS4133	ATS4124
APT3817	1000	1800	600	1698	498	ATS4033	ATS4025	ATS4133	ATS4125
APT3818	1000	1800	750	1698	648	ATS4033	ATS4026	ATS4133	ATS4126
APT3819	1000	1800	900	1698	798	ATS4033	ATS4027	ATS4133	ATS4127
APT3820	1000	1800	1050	1698	948	ATS4033	ATS4028	ATS4133	ATS4128
APT3821	1000	1800	1200	1698	1098	ATS4033	ATS4029	ATS4133	ATS4129
APT3822	1100	1800	300	1698	198	ATS4044	ATS4034	ATS4144	ATS4134
APT3823	1100	1800	450	1698	348	ATS4044	ATS4035	ATS4144	ATS4135
APT3824	1100	1800	600	1698	498	ATS4044	ATS4036	ATS4144	ATS4136
APT3825	1100	1800	750	1698	648	ATS4044	ATS4037	ATS4144	ATS4137
APT3826	1100	1800	900	1698	798	ATS4044	ATS4038	ATS4144	ATS4138
APT3827	1100	1800	1050	1698	948	ATS4044	ATS4039	ATS4144	ATS4139
APT3828	1100	1800	1200	1698	1098	ATS4044	ATS4040	ATS4144	ATS4140
APT3829	1200	1800	300	1698	198	ATS4055	ATS4045	ATS4155	ATS4145
APT3830	1200	1800	450	1698	348	ATS4055	ATS4046	ATS4155	ATS4146
APT3831	1200	1800	600	1698	498	ATS4055	ATS4047	ATS4155	ATS4147
APT3832	1200	1800	750	1698	648	ATS4055	ATS4048	ATS4155	ATS4148
APT3833	1200	1800	900	1698	798	ATS4055	ATS4049	ATS4155	ATS4149
APT3834	1200	1800	1050	1698	948	ATS4055	ATS4050	ATS4155	ATS4150
APT3835	1200	1800	1200	1698	1098	ATS4055	ATS4051	ATS4155	ATS4151
APT3836	1300	1800	300	1698	198	ATS4066	ATS4056	ATS4166	ATS4156
APT3837	1300	1800	450	1698	348	ATS4066	ATS4057	ATS4166	ATS4157
APT3838	1300	1800	600	1698	498	ATS4066	ATS4058	ATS4166	ATS4158
APT3839	1300	1800	750	1698	648	ATS4066	ATS4059	ATS4166	ATS4159
APT3840	1300	1800	900	1698	798	ATS4066	ATS4060	ATS4166	ATS4160
APT3841	1300	1800	1050	1698	948	ATS4066	ATS4061	ATS4166	ATS4161
APT3842	1300	1800	1200	1698	1098	ATS4066	ATS4062	ATS4166	ATS4162
APT3843	1400	1800	300	1698	198	ATS4077	ATS4067	ATS4177	ATS4167
APT3844	1400	1800	450	1698	348	ATS4077	ATS4068	ATS4177	ATS4168
APT3845	1400	1800	600	1698	498	ATS4077	ATS4069	ATS4177	ATS4169
APT3846	1400	1800	750	1698	648	ATS4077	ATS4070	ATS4177	ATS4170
APT3847	1400	1800	900	1698	798	ATS4077	ATS4071	ATS4177	ATS4171
APT3848	1400	1800	1050	1698	948	ATS4077	ATS4072	ATS4177	ATS4172
APT3849	1400	1800	1200	1698	1098	ATS4077	ATS4073	ATS4177	ATS4173
APT3850	1500	1800	300	1698	198	ATS4088	ATS4078	ATS4188	ATS4178
APT3851	1500	1800	450	1698	348	ATS4088	ATS4079	ATS4188	ATS4179
APT3852	1500	1800	600	1698	498	ATS4088	ATS4080	ATS4188	ATS4180
APT3853	1500	1800	750	1698	648	ATS4088	ATS4084	ATS4188	ATS4181
APT3854	1500	1800	900	1698	798	ATS4088	ATS4082	ATS4188	ATS4182
APT3855	1500	1800	1050	1698	948	ATS4088	ATS4083	ATS4188	ATS4183
APT3856	1500	1800	1200	1698	1098	ATS4088	ATS4084	ATS4188	ATS4184

# FENCE PANEL FOR TWO LEG PASS / LOAD STAND


GLOBAL STANDARD COMPONENTS

# NAAMS




Assembly

10/08/07



# FENCE PANEL FOR TWO LEG PASS / LOAD STAND STYLE C



TOLERANCES  
 1 PLACE FABRICATION  $\pm 1.5\text{MM}$

INCH

- a 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X LENGTH
- b 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X HEIGHT
- c 4 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X 25MM
- d 1 - EXPANDED METAL FLATTENED A X B X 1 1/2 - 13 GA

METRIC

- a 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X LENGTH
- b 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X HEIGHT
- c 4 - STL ANG ASTM A-36 25 X 25 X 3 WT X 25
- d 1 - EXPANDED METAL FLATTENED A X B X 1 1/2 - 13 GA

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART

PAINT NOTE:  
 SAFETY BLACK EXCEPT FRONT OF  
 ANGLES ARE SAFETY YELLOW



# FENCE PANEL FOR TWO LEG PASS / LOAD STAND STYLE C

NAAMS CODE	Height	Length	A	B
ATS2001	550.0	600.0	580.0	530.0
ATS2002	550.0	750.0	730.0	530.0
ATS2003	550.0	900.0	880.0	530.0
ATS2004	550.0	1050.0	1030.0	530.0
ATS2005	550.0	1200.0	1180.0	530.0
ATS2006	550.0	1350.0	1330.0	530.0
ATS2007	550.0	1500.0	1480.0	530.0
ATS2008	550.0	1650.0	1630.0	530.0
ATS2009	550.0	1800.0	1780.0	530.0


NAAMS CODE	Height	Length	A	B
ATS2034	850.0	600.0	580.0	830.0
ATS2035	850.0	750.0	730.0	830.0
ATS2036	850.0	900.0	880.0	830.0
ATS2037	850.0	1050.0	1030.0	830.0
ATS2038	850.0	1200.0	1180.0	830.0
ATS2039	850.0	1350.0	1330.0	830.0
ATS2040	850.0	1500.0	1480.0	830.0
ATS2041	850.0	1650.0	1630.0	830.0
ATS2042	850.0	1800.0	1780.0	830.0

NAAMS CODE	Height	Length	A	B
ATS2012	650.0	600.0	580.0	630.0
ATS2013	650.0	750.0	730.0	630.0
ATS2014	650.0	900.0	880.0	630.0
ATS2015	650.0	1050.0	1030.0	630.0
ATS2016	650.0	1200.0	1180.0	630.0
ATS2017	650.0	1350.0	1330.0	630.0
ATS2018	650.0	1500.0	1480.0	630.0
ATS2019	650.0	1650.0	1630.0	630.0
ATS2020	650.0	1800.0	1780.0	630.0

NAAMS CODE	Height	Length	A	B
ATS2045	950.0	600.0	580.0	930.0
ATS2046	950.0	750.0	730.0	930.0
ATS2047	950.0	900.0	880.0	930.0
ATS2048	950.0	1050.0	1030.0	930.0
ATS2049	950.0	1200.0	1180.0	930.0
ATS2050	950.0	1350.0	1330.0	930.0
ATS2051	950.0	1500.0	1480.0	930.0
ATS2052	950.0	1650.0	1630.0	930.0
ATS2053	950.0	1800.0	1780.0	930.0

NAAMS CODE	Height	Length	A	B
ATS2023	750.0	600.0	580.0	730.0
ATS2024	750.0	750.0	730.0	730.0
ATS2025	750.0	900.0	880.0	730.0
ATS2026	750.0	1050.0	1030.0	730.0
ATS2027	750.0	1200.0	1180.0	730.0
ATS2028	750.0	1350.0	1330.0	730.0
ATS2029	750.0	1500.0	1480.0	730.0
ATS2030	750.0	1650.0	1630.0	730.0
ATS2031	750.0	1800.0	1780.0	730.0

# FENCE PANEL FOR TWO LEG PASS / LOAD STAND STYLE F



TOLERANCES  
 1 PLACE FABRICATION  $\pm 1.5\text{MM}$

INCH

- a 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X LENGTH
- b 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X HEIGHT
- c 4 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X 25MM
- d 1 - EXPANDED METAL FLATTENED A X B X 3/4 - 13 GA

METRIC

- a 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X LENGTH
- b 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X HEIGHT
- c 4 - STL ANG ASTM A-36 25 X 25 X 3 WT X 25
- d 1 - EXPANDED METAL FLATTENED A X B X 3/4 - 13 GA

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART

PAINT NOTE:  
 SAFETY BLACK EXCEPT FRONT OF  
 ANGLES ARE SAFETY YELLOW

# FENCE PANEL FOR TWO LEG PASS / LOAD STAND STYLE F

NAAMS CODE	Height	Length	A	B
ATS2101	600.0	600.0	580.0	580.0
ATS2102	600.0	750.0	730.0	580.0
ATS2103	600.0	900.0	880.0	580.0
ATS2104	600.0	1050.0	1030.0	580.0
ATS2105	600.0	1200.0	1180.0	580.0
ATS2106	600.0	1350.0	1330.0	580.0
ATS2107	600.0	1500.0	1480.0	580.0
ATS2108	600.0	1650.0	1630.0	580.0
ATS2109	600.0	1800.0	1780.0	580.0


NAAMS CODE	Height	Length	A	B
ATS2134	900.0	600.0	580.0	880.0
ATS2135	900.0	750.0	730.0	880.0
ATS2136	900.0	900.0	880.0	880.0
ATS2137	900.0	1050.0	1030.0	880.0
ATS2138	900.0	1200.0	1180.0	880.0
ATS2139	900.0	1350.0	1330.0	880.0
ATS2140	900.0	1500.0	1480.0	880.0
ATS2141	900.0	1650.0	1630.0	880.0
ATS2142	900.0	1800.0	1780.0	880.0

NAAMS CODE	Height	Length	A	B
ATS2112	700.0	600.0	580.0	680.0
ATS2113	700.0	750.0	730.0	680.0
ATS2114	700.0	900.0	880.0	680.0
ATS2115	700.0	1050.0	1030.0	680.0
ATS2116	700.0	1200.0	1180.0	680.0
ATS2117	700.0	1350.0	1330.0	680.0
ATS2118	700.0	1500.0	1480.0	680.0
ATS2119	700.0	1650.0	1630.0	680.0
ATS2120	700.0	1800.0	1780.0	680.0


NAAMS CODE	Height	Length	A	B
ATS2145	1000.0	600.0	580.0	980.0
ATS2146	1000.0	750.0	730.0	980.0
ATS2147	1000.0	900.0	880.0	980.0
ATS2148	1000.0	1050.0	1030.0	980.0
ATS2149	1000.0	1200.0	1180.0	980.0
ATS2150	1000.0	1350.0	1330.0	980.0
ATS2151	1000.0	1500.0	1480.0	980.0
ATS2152	1000.0	1650.0	1630.0	980.0
ATS2153	1000.0	1800.0	1780.0	980.0

NAAMS CODE	Height	Length	A	B
ATS2123	800.0	600.0	580.0	780.0
ATS2124	800.0	750.0	730.0	780.0
ATS2125	800.0	900.0	880.0	780.0
ATS2126	800.0	1050.0	1030.0	780.0
ATS2127	800.0	1200.0	1180.0	780.0
ATS2128	800.0	1350.0	1330.0	780.0
ATS2129	800.0	1500.0	1480.0	780.0
ATS2130	800.0	1650.0	1630.0	780.0
ATS2131	800.0	1800.0	1780.0	780.0

# FENCE PANEL FOR FOUR LEG AND U-STYLE PASS / LOAD STAND



# FENCE PANEL FOR FOUR LEG AND U-STYLE PASS / LOAD STAND STYLE C



TOLERANCES  
 1 PLACE FABRICATION  $\pm 1.5\text{MM}$

INCH

- a 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X A
- b 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X HEIGHT
- c 4 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X 25MM
- d 1 - EXPANDED METAL FLATTENED B X C X 1 1/2 - 13 GA

METRIC

- a 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X A
- b 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X HEIGHT
- c 4 - STL ANG ASTM A-36 25 X 25 X 3 WT X 25
- d 1 - EXPANDED METAL FLATTENED B X C X 1 1/2" - 13 GA

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART

PAINT NOTE:  
 SAFETY BLACK EXCEPT FRONT OF  
 ANGLES ARE SAFETY YELLOW

# FENCE PANEL FOR FOUR LEG AND U-STYLE PASS / LOAD STAND STYLE C

NAAMS CODE	Height	A	B	C
ATS4001	600.0	230.0	210.0	580.0
ATS4002	600.0	380.0	360.0	580.0
ATS4003	600.0	530.0	510.0	580.0
ATS4004	600.0	680.0	660.0	580.0
ATS4005	600.0	830.0	810.0	580.0
ATS4006	600.0	980.0	960.0	580.0
ATS4007	600.0	1130.0	1110.0	580.0
ATS4008	600.0	1280.0	1260.0	580.0
ATS4009	600.0	1430.0	1410.0	580.0
ATS4010	600.0	1580.0	1560.0	580.0
ATS4011	600.0	1730.0	1710.0	580.0

NAAMS CODE	Height	A	B	C
ATS4045	1000.0	230.0	210.0	980.0
ATS4046	1000.0	380.0	360.0	980.0
ATS4047	1000.0	530.0	510.0	980.0
ATS4048	1000.0	680.0	660.0	980.0
ATS4049	1000.0	830.0	810.0	980.0
ATS4050	1000.0	980.0	960.0	980.0
ATS4051	1000.0	1130.0	1110.0	980.0
ATS4052	1000.0	1280.0	1260.0	980.0
ATS4053	1000.0	1430.0	1410.0	980.0
ATS4054	1000.0	1580.0	1560.0	980.0
ATS4055	1000.0	1730.0	1710.0	980.0

NAAMS CODE	Height	A	B	C
ATS4012	700.0	230.0	210.0	680.0
ATS4013	700.0	380.0	360.0	680.0
ATS4014	700.0	530.0	510.0	680.0
ATS4015	700.0	680.0	660.0	680.0
ATS4016	700.0	830.0	810.0	680.0
ATS4017	700.0	980.0	960.0	680.0
ATS4018	700.0	1130.0	1110.0	680.0
ATS4019	700.0	1280.0	1260.0	680.0
ATS4020	700.0	1430.0	1410.0	680.0
ATS4021	700.0	1580.0	1560.0	680.0
ATS4022	700.0	1730.0	1710.0	680.0

NAAMS CODE	Height	A	B	C
ATS4056	1100.0	230.0	210.0	1080.0
ATS4057	1100.0	380.0	360.0	1080.0
ATS4058	1100.0	530.0	510.0	1080.0
ATS4059	1100.0	680.0	660.0	1080.0
ATS4060	1100.0	830.0	810.0	1080.0
ATS4061	1100.0	980.0	960.0	1080.0
ATS4062	1100.0	1130.0	1110.0	1080.0
ATS4063	1100.0	1280.0	1260.0	1080.0
ATS4064	1100.0	1430.0	1410.0	1080.0
ATS4065	1100.0	1580.0	1560.0	1080.0
ATS4066	1100.0	1730.0	1710.0	1080.0


NAAMS CODE	Height	A	B	C
ATS4023	800.0	230.0	210.0	780.0
ATS4024	800.0	380.0	360.0	780.0
ATS4025	800.0	530.0	510.0	780.0
ATS4026	800.0	680.0	660.0	780.0
ATS4027	800.0	830.0	810.0	780.0
ATS4028	800.0	980.0	960.0	780.0
ATS4029	800.0	1130.0	1110.0	780.0
ATS4030	800.0	1280.0	1260.0	780.0
ATS4031	800.0	1430.0	1410.0	780.0
ATS4032	800.0	1580.0	1560.0	780.0
ATS4033	800.0	1730.0	1710.0	780.0

NAAMS CODE	Height	A	B	C
ATS4067	1200.0	230.0	210.0	1180.0
ATS4068	1200.0	380.0	360.0	1180.0
ATS4069	1200.0	530.0	510.0	1180.0
ATS4070	1200.0	680.0	660.0	1180.0
ATS4071	1200.0	830.0	810.0	1180.0
ATS4072	1200.0	980.0	960.0	1180.0
ATS4073	1200.0	1130.0	1110.0	1180.0
ATS4074	1200.0	1280.0	1260.0	1180.0
ATS4075	1200.0	1430.0	1410.0	1180.0
ATS4076	1200.0	1580.0	1560.0	1180.0
ATS4077	1200.0	1730.0	1710.0	1180.0

NAAMS CODE	Height	A	B	C
ATS4034	900.0	230.0	210.0	880.0
ATS4035	900.0	380.0	360.0	880.0
ATS4036	900.0	530.0	510.0	880.0
ATS4037	900.0	680.0	660.0	880.0
ATS4038	900.0	830.0	810.0	880.0
ATS4039	900.0	980.0	960.0	880.0
ATS4040	900.0	1130.0	1110.0	880.0
ATS4041	900.0	1280.0	1260.0	880.0
ATS4042	900.0	1430.0	1410.0	880.0
ATS4043	900.0	1580.0	1560.0	880.0
ATS4044	900.0	1730.0	1710.0	880.0

NAAMS CODE	Height	A	B	C
ATS4078	1300.0	230.0	210.0	1280.0
ATS4079	1300.0	380.0	360.0	1280.0
ATS4080	1300.0	530.0	510.0	1280.0
ATS4081	1300.0	680.0	660.0	1280.0
ATS4082	1300.0	830.0	810.0	1280.0
ATS4083	1300.0	980.0	960.0	1280.0
ATS4084	1300.0	1130.0	1110.0	1280.0
ATS4085	1300.0	1280.0	1260.0	1280.0
ATS4086	1300.0	1430.0	1410.0	1280.0
ATS4087	1300.0	1580.0	1560.0	1280.0
ATS4088	1300.0	1730.0	1710.0	1280.0

# FENCE PANEL FOR FOUR LEG AND U-STYLE PASS / LOAD STAND STYLE F



TOLERANCES  
 1 PLACE FABRICATION ±1.5MM

- INCH
- a 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X A
  - b 2 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X HEIGHT
  - c 4 - STL ANG ASTM A-36 1 X 1 X 1/8 WT X 25MM
  - d 1 - EXPANDED METAL FLATTENED B X C X 3/4 - 16 GA

- METRIC
- a 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X A
  - b 2 - STL ANG ASTM A-36 25 X 25 X 3 WT X HEIGHT
  - c 4 - STL ANG ASTM A-36 25 X 25 X 3 WT X 25
  - d 1 - EXPANDED METAL FLATTENED B X C X 3/4" - 16 GA

SEE PAGE B-1.1 FOR GLOBAL MATERIALS CHART

PAINT NOTE:  
 SAFETY BLACK EXCEPT FRONT OF  
 ANGLES ARE SAFETY YELLOW

# FENCE PANEL FOR FOUR LEG AND U-STYLE PASS / LOAD STAND STYLE F

NAAMS CODE	Height	A	B	C
ATS4101	650.0	230.0	210.0	630.0
ATS4102	650.0	380.0	360.0	630.0
ATS4103	650.0	530.0	510.0	630.0
ATS4104	650.0	680.0	660.0	630.0
ATS4105	650.0	830.0	810.0	630.0
ATS4106	650.0	980.0	960.0	630.0
ATS4107	650.0	1130.0	1110.0	630.0
ATS4108	650.0	1280.0	1260.0	630.0
ATS4109	650.0	1430.0	1410.0	630.0
ATS4110	650.0	1580.0	1560.0	630.0
ATS4111	650.0	1730.0	1710.0	630.0

NAAMS CODE	Height	A	B	C
ATS4145	1050.0	230.0	210.0	1030.0
ATS4146	1050.0	380.0	360.0	1030.0
ATS4147	1050.0	530.0	510.0	1030.0
ATS4148	1050.0	680.0	660.0	1030.0
ATS4149	1050.0	830.0	810.0	1030.0
ATS4150	1050.0	980.0	960.0	1030.0
ATS4151	1050.0	1130.0	1110.0	1030.0
ATS4152	1050.0	1280.0	1260.0	1030.0
ATS4153	1050.0	1430.0	1410.0	1030.0
ATS4154	1050.0	1580.0	1560.0	1030.0
ATS4155	1050.0	1730.0	1710.0	1030.0

NAAMS CODE	Height	A	B	C
ATS4112	750.0	230.0	210.0	730.0
ATS4113	750.0	380.0	360.0	730.0
ATS4114	750.0	530.0	510.0	730.0
ATS4115	750.0	680.0	660.0	730.0
ATS4116	750.0	830.0	810.0	730.0
ATS4117	750.0	980.0	960.0	730.0
ATS4118	750.0	1130.0	1110.0	730.0
ATS4119	750.0	1280.0	1260.0	730.0
ATS4120	750.0	1430.0	1410.0	730.0
ATS4121	750.0	1580.0	1560.0	730.0
ATS4122	750.0	1730.0	1710.0	730.0

NAAMS CODE	Height	A	B	C
ATS4156	1150.0	230.0	210.0	1130.0
ATS4157	1150.0	380.0	360.0	1130.0
ATS4158	1150.0	530.0	510.0	1130.0
ATS4159	1150.0	680.0	660.0	1130.0
ATS4160	1150.0	830.0	810.0	1130.0
ATS4161	1150.0	980.0	960.0	1130.0
ATS4162	1150.0	1130.0	1110.0	1130.0
ATS4163	1150.0	1280.0	1260.0	1130.0
ATS4164	1150.0	1430.0	1410.0	1130.0
ATS4165	1150.0	1580.0	1560.0	1130.0
ATS4166	1150.0	1730.0	1710.0	1130.0

NAAMS CODE	Height	A	B	C
ATS4123	850.0	230.0	210.0	830.0
ATS4124	850.0	380.0	360.0	830.0
ATS4125	850.0	530.0	510.0	830.0
ATS4126	850.0	680.0	660.0	830.0
ATS4127	850.0	830.0	810.0	830.0
ATS4128	850.0	980.0	960.0	830.0
ATS4129	850.0	1130.0	1110.0	830.0
ATS4130	850.0	1280.0	1260.0	830.0
ATS4131	850.0	1430.0	1410.0	830.0
ATS4132	850.0	1580.0	1560.0	830.0
ATS4133	850.0	1730.0	1710.0	830.0

NAAMS CODE	Height	A	B	C
ATS4167	1250.0	230.0	210.0	1230.0
ATS4168	1250.0	380.0	360.0	1230.0
ATS4169	1250.0	530.0	510.0	1230.0
ATS4170	1250.0	680.0	660.0	1230.0
ATS4171	1250.0	830.0	810.0	1230.0
ATS4172	1250.0	980.0	960.0	1230.0
ATS4173	1250.0	1130.0	1110.0	1230.0
ATS4174	1250.0	1280.0	1260.0	1230.0
ATS4175	1250.0	1430.0	1410.0	1230.0
ATS4176	1250.0	1580.0	1560.0	1230.0
ATS4177	1250.0	1730.0	1710.0	1230.0

NAAMS CODE	Height	A	B	C
ATS4134	950.0	230.0	210.0	930.0
ATS4135	950.0	380.0	360.0	930.0
ATS4136	950.0	530.0	510.0	930.0
ATS4137	950.0	680.0	660.0	930.0
ATS4138	950.0	830.0	810.0	930.0
ATS4139	950.0	980.0	960.0	930.0
ATS4140	950.0	1130.0	1110.0	930.0
ATS4141	950.0	1280.0	1260.0	930.0
ATS4142	950.0	1430.0	1410.0	930.0
ATS4143	950.0	1580.0	1560.0	930.0
ATS4144	950.0	1730.0	1710.0	930.0

NAAMS CODE	Height	A	B	C
ATS4178	1350.0	230.0	210.0	1330.0
ATS4179	1350.0	380.0	360.0	1330.0
ATS4180	1350.0	530.0	510.0	1330.0
ATS4181	1350.0	680.0	660.0	1330.0
ATS4182	1350.0	830.0	810.0	1330.0
ATS4183	1350.0	980.0	960.0	1330.0
ATS4184	1350.0	1130.0	1110.0	1330.0
ATS4185	1350.0	1280.0	1260.0	1330.0
ATS4186	1350.0	1430.0	1410.0	1330.0
ATS4187	1350.0	1580.0	1560.0	1330.0
ATS4188	1350.0	1730.0	1710.0	1330.0